

## **Standard Entrance Mats**

Iron-Horse	10
Iron-Horse XL	11
Iron-Horse Light	12
Entrance	13
Super-Mat 2	14
Monotone	15
EcoAbsorb	16
PolyCotton	17
Green-Horse	18
Water-Horse	19
Kleen-Scrape	20

## Custom Printed Mats

Jet-Print	24
Jet-Print Plus	25
Jet-Print Light	26
Jet-Print Horizon	27
Jet-Print Vision	28
Jet-Print Velour	29
Jet-Print Outdoor	30
Jet-Print Event	31
Jet-Print Patio	32
Jet-Print Big Size	33
Ad-Mat	34
Bar-Mat	35
Counter Mat	36
Desk Planner Mat	37
Keyboard Runner	38
Colour Palettes & Fabric Bases	39

## Fitted Entrance Systems

Kleen-Fit System Brush	43
Kleen-Fit System Ribbed	44
Kleen-Fit System Scrub	45
Kleen-Fit Concourse Tile	46
Kleen-Fit Matrix Tile	47

## **Anti-Fatique Mats**

Kleen-Comfort	50
Kleen-Comfort Safety	51
Kleen-Cushion	52
Kleen-Coil	53
Kleen-Thru Plus	54
Kleen-Scrape	55
Kleen-Foam	56
Kleen-Comfort Design	57
Kleen-Comfort Office	58
Kleen-Comfort Soft	59

## **Workplace Safety Mats**

Kleen-Cable Mat	62
Kleen-Cable Mat Rubber	63
Kleen-Wheel Forklift	64
Jet-Print Hi-Vis	65
Kleen-Sticky Mat	66
Kleen-Cooler Mat	67

## **Wet Area Mats**

Accessories

Kleen-Tile	70
Kleen-Wave	71

Transportation	
Airline Mat Car Boot Protector - Premium Kleen-Cable Mat EV Parking Mat	74 75 76 77
Technical Data Our Sustainability Commitment Our Production	78 80 81

## **Application Area**



Suitable for outdoor use



Suitable for high foot traffic

## Certifications



Compliant with fire protection classifications







## **Product Benefits**



Product has properties that reduce it's impact on the environment.



Guaranteed for specified







an be designed with ustom artwork.



Colourfast and Lightfast properties.



uitable for underfloor heating.

Made in the European Union.

ighly absorbent surface.

## Cleaning and Washability



Limited washability.









igh-pressure wash cleaning.



Can be cleaned with carpet

# 3 4 60°

Vashable up to specified



not tumble dry



lean using steam or spray xtraction methods.

n be vacuum cleaned.



## **Affiliates and Accreditations**

Kleen-Tex is a member of various laundry institutions and textile associations and is affiliated with multiple reputable promotional organisations.































# Make more of your floor

products

exceptional

Expertly

For over 55 years, Kleen-Tex has been at the forefront of manufacturing floor mats and matting solutions for commercial applications, setting the industry standard for quality and performance.

manufacturing

Our unwavering commitment to exceptional customer service has earned us a global reputation as one of the premier manufacturers operating across five continents.

With our extensive knowledge in textiles and design, floor care, pedestrian safety, entrance systems, and specialist floor mat solutions, we possess unparalleled expertise that enables us to offer an extensive range of mats suitable for any application. These mats not only serve a functional purpose but can also be utilised to promote and create personalised messages for customers and employees, fostering a unique and engaging experience.

Our strong manufacturing presence in Europe is a source of pride, with three operational locations in Austria, Poland, and the United Kingdom, providing unrivalled pan-European services and ensuring seamless delivery and support for our valued clients. With a legacy of excellence, Kleen-Tex continues to deliver innovative and durable matting solutions that surpass expectations, cementing our position as an industry leader.

# At Kleen-Tex, we promise:



Over 55 years of experience



**Excellent customer service** and delivery



**Certification and** accreditation from world class institutes



**European manufacturing** 



**Continuous commitment** to product innovation



Extensive bespoke design capabilities



Matting systems that deliver durability and longevity



Top quality launderable Top quality launus

# **Optimise Your Floors in 3 Simple Steps**

## The Ultimate Entrance System for your Building

Did you know that on average, 80% of dirt gets into a building through its main entrance.

By strategically installing mats at key locations throughout your building, you can significantly reduce the transfer of dirt and moisture, and as a result, dramatically reduce your cleaning costs.

No one wipes their feet when entering a commercial building so the more footsteps that land on mats, the more dirt is stopped at the door.

Over the last 50 years, we have developed and advocated a three-mat system to successfully entrap dirt and moisture before it enters your building.



~40%

of your cleaning budget is spent on floor maintenance

2kg of soiling is carried in to your building per 1000 people entering every week

30

tonnes of dirt, soot, grit and grime enters London's buildings daily\*

cause of accidental slips and trips is tracked in dirt and moisture

94%

reduction in dirt and moisture ingress by using Dust **Control Mats** 

≤90%

of soiling can be stopped with correctly sized and placed matting

# The Intelligent Approach to Dirt Control



# **Primary External Mat:**

Removes coarse grit, heavy soil and some initial moisture, reducing dirt ingress and cutting cleaning costs.



## **Secondary Indoor Mat:**


Absorbs some moisture and removes additional grit, protecting your staff and visitors.



PRIMARY

## **Tertiary Indoor Mat:**

Soaks up excess residue to ensure footwear is as clean and dry as possible before entering the main part of the building.




# For Leisure and Hospitality

Mats are vital in the leisure and hospitality sector, serving various purposes from the classic entrance mats maintaining cleanliness and creating a positive first impression to specialist mats in various locations throughout the facility. Mats that provide comfort for employees standing for long periods, safety mats preventing accidents in areas like pools or fitness centers. Mats that maintain hygiene in food service areas. Functional mats that benefit your business, your staff and your guests.

# For Warehousing and Manufacturing

Mats in the warehousing and manufacturing sector contribute to worker safety, comfort, and floor protection. They provide anti-fatigue support, prevent slips and falls, control static electricity, resist chemicals, and safeguard against heavy equipment and machinery. Using graphic mats we can also enforce safety messages where needed. All these mat types enhance productivity, reduce workplace injuries, and help maintain a clean and efficient working environment.





# Make an Entrance

Kleen-Tex's indoor entrance mats are a high-quality and durable solution for keeping your indoor spaces clean and safe. These mats are designed to trap dirt, dust, and moisture from shoes, effectively reducing the amount of dirt and debris that is tracked into your building.

Made from top-grade materials, our indoor entrance mats are built to last and can withstand heavy foot traffic, making them ideal for use in high-traffic areas such as lobbies, hallways, and entrances.

With a wide range of colours, sizes, styles and materials to choose from, you're sure to find the perfect mat to suit your needs and complement your interior styling.

So, whether you're looking to improve the appearance of your building or keep it cleaner and safer, Kleen-Tex indoor entrance mats are a great solution.

Functional mats designed to serve as a barrier between the outdoors and the indoors, preventing dirt, dust, and moisture from being tracked inside, keeping floors clean and free from slips and trips.

## Outdoor

Our Outdoor range features durable and hardwearing products capable of withstanding the varying and harsh weather conditions outdoor use can bring.

It's everybody's responsibility to do as much as possible to help save our planet and preserve the environment we live in for generations to come.

Our Eco range includes products made with sustainability in mind. These products will feature both a surface and backing material made from recycled content.





































## Professional, washable dirt catching mat for commercial use

Durability and a high capacity for dirt capture make this mat the perfect choice for highly frequented areas such as entrances, corridors, lift doors and reception desks. A wide colour choice will ensure a great match with your interiors.

## Why Choose Iron-Horse?

- » Our best selling professional entrance mat
- » High dirt and moisture absorption
- » Fully serviceable product
- » Slip-resistant rubber backing
- » Lightfast and colour fade resistant
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*

Black Brown

Black Cedar

» Made in Europe

## **Technical Details**

## Materials

- » 100% high-twist nylon
- » 100% nitrile rubber backing

## Applications

- » Entrances » Corridors
- » Receptions » Elevators

## Certifications

- » EN 13501-1 / CFL-s1 » NFSI High-Traction
- » EN 14041 Antistatic

Black Pearl

## Absorption:

- » Dirt absorption: 800 g/m<sup>2</sup>
- » Moisture absorption: 3-4 l/m²

## Specification

# Height

» Approx. 11-12 mm

## Standard

Black Scarlet

Black Blue

izes	vviatr
60 x 85 cm	» 85 c
85 x 120 cm	» 115

- » 85 x 300 cm | » 200 cm°
- » 115 x 175 cm » 150 x 240 cm

## Full Technical Data

Lengths

» Up to 700 cm

























Indoor

Iron-Horse XL

## More pile for increased dirt and moisture trapping performance

With a higher pile than the classic Iron-Horse, this mat has an increased ability to trap dirt and moisture, delivering superior performance in areas of heavy traffic.

## Why Choose Iron-Horse XL?

- » Extra luxurious professional entrance mat
- » Superior dirt and moisture absorption
- » Fully serviceable product
- » Slip-resistant rubber backing
- » Light-fast and colour fade resistant
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

# **Technical Details**

## Materials

- » 100% high-twist nylon polyamide 6 surface » 100% nitrile rubber backing
- Applications

## » Entrances

- » Corridors » Receptions » Elevators
- Certifications
- » EN 13501-1 / CFL-s1 » NFSI High-Traction
- » FN 14041 Antistatic
- Absorption:
  - » Dirt absorption: 1000 g/m<sup>2</sup>
- » Moisture absorption:

## Specification

Height Weight » Approx. 13-14 mm » 2.54 kg/m²

Widths

## Standard Sizes


» 60 x 85 cm

» 85 x 120 cm » 115 cm

» 85 x 300 cm

» 150 x 240 cm

» 115 x 175 cm






Full Technical Data

Lengths

» Up to 700 cm



Black Steel





GUIDE 2024 |


















# $Stop\ dirt\ and\ moisture\ being\ tracked\ into\ your\ building\ with\ cost\ effective\ professional\ mats$

The perfect entrance mat for busy businesses and public buildings. Now available with a slimline backing to give you a more cost effective solution with all the benefits of our best-selling Iron-Horse.

Why Choose Iron-Horse Light?	Technical Details	Specification
» Entry level professional entrance mat  » High dirt and moisture absorption	Materials  » 100% high-twist nylon polyamide 6 surface » 100% nitrile rubber backing	Height Weight » Approx. 11 mm » 1.7 kg/m²
» Washable up to 40°C	Applications » Entrances » Corridors	Standard Sizes » 60 x 85 cm » 85 x 120 cm
» Slip-resistant rubber backing	» Receptions » Elevators	» 85 x 150 cm » 115 x 175 cm
» Lightfast and colour fade resistant	Absorption:  » Dirt absorption: 800 g/m²  » Moisture absorption: 3-4 l/m²	
<ul> <li>» Suitable for underfloor heating</li> <li>» 2 years Manufacturers Guarantee</li> </ul>	,	
» Made in Europe		Full Technical Data
253255	SOCIEDAD DE	

Black Mink























## Reduces dirt and moisture entering your busy premises!

An extremely durable nylon mat for optimal dirt absorption in highly frequented areas. Entrance mats are perfectly suited for the busiest areas due to their high dirt absorption rate and slip-resistant rubber backing.

1 A / I	$\sim$ 1	Entrance?
wh	/ L DOOSA	F ntrance/

- » High dirt and moisture absorption
- » Durable nylon surface
- » Made with recycled rubber content
- » Slip-resistant rubber backing
- » Lightfast and colour fade resistant
- » Suitable for underfloor heating
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details** Materials

» Corridors

» Elevators

» 100% high-twist nylon polyamide 6 surface » 100% nitrile rubber backing (15% recycled rubber content)

## Applications » Entrances

- » Receptions

# Certifications

» EN 13501-1 / CFL-s1 » NFSI High-Traction

## Absorption:

- » Dirt absorption: » Moisture absorption: 3-4 l/m²

## Specification

**Height** » Approx. 11-12 mm Weight » 2.5 kg/m²

## Standard Sizes

- » 60 x 85 cm
- » 85 x 150 cm » 115 x 175 cm



Black Brown Midnight Grey

For all mats we reseve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.



Midnight Grey































## Dual performance; scrape and wipe - a heavy duty mat to keep your buildings even cleaner

The ultimate choice for busy areas where dirtingress is high. This dirt-catching math as a unique double feature; heavy-duty monofilament is directly an experience of the contraction of the contractionfibres remove coarse dirt whilst the high-twist, fine, heat-set fibres, absorb and keep fine dust, dirt and moisture in the mat.

## Why Choose Super-Mat 2?

- » Dual performance; scrape and wipe
- » Made from Econyl® regenerated nylon
- » Fully serviceable product
- » Slip-resistant rubber backing
- » Light-fast and colour fade resistant
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » 100 % regenerated Econyl® nylon surface » 100% nitrile rubber backing

## Applications

- » Entrances » Corridors » Receptions » Elevators
- Certifications » EN 13501-1 / CFL-s1 » NFSI High-Traction
- » EN 14041 Antistatic

## Absorption:

- » Dirt absorption: 950 g/m<sup>2</sup>
- » Moisture absorption: 3-4 l/m²

## Specification

## Height » Approx. 10 mm

## Standard Sizes


- Widths » 60 x 85 cm » 85 cm
- » 85 x 120 cm » 115 cm » 85 x 150 cm » 150 cm
- » 85 x 300 cm » 115 x 175 cm » 150 x 240 cm

## Lengths » Up to 700 cm

Weight


» 3.1 kg/m<sup>2</sup>







Full Technical Data























## Professional functional mats in a pure vibrant colour

Developed to stand up to the toughest demands in foot traffic whilst maintaining a bright and vibrant colour. The surface texture removes dirt and moisture from passing shoes and retains it between the fibres.

## Why Choose Monotone?

- » Contemporary colour selection
- » High dirt and moisture absorption
- » Fully serviceable product
- » Slip-resistant rubber backing
- » Lightfast and colour fade resistant
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

# **Technical Details**

## Materials

- » 100% high-twist nylon polyamide 6 surface » 100% nitrile rubber backing
- (15% recycled rubber content)

## Applications

- » Entrances » Receptions

## Certifications » EN 13501-1 / CFL-s1

- » NFSI High-Traction
- Absorption:
- » Dirt absorption: 800 g/m<sup>2</sup> » Moisture absorption: 3-4 l/m²

## Specification Height Weight

» 2.4 kg/m² » Approx. 11-12 mm

## Standard Sizes

Widths » 60 x 85 cm

» 85 x 120 cm » 115 cm

» 85 x 300 cm » 115 x 175 cm

» 150 x 240 cm

» 85 x 150 cm » 150 cm



Lengths

» Up to 700 cm



Cool Grey



Scarlet



Smokey Mount Regal Red





Sahara

» Corridors

» Elevators







\*2 year guarantee under industrial laundry conditions.
For all mats we reseve the right of production-related tolerance of +/- 3% in size. Colours are subject to commercial tolerance.























» 2.85 kg/m<sup>2</sup>

Lengths

» Up to 700 cm











## Super absorbent, quick drying and highly durable, eco-friendly entrance mat

A professional, functional entrance mat engineered to reduce it's impact on the environment. Using  $\mathbf{Renycle^{TM}}$  50 yarn, production of EcoAbsorb saves energy, reduces CO, emissions, water consumption and waste material, compared to traditional cotton mats.

## Why Choose EcoAbsorb?

- » Unparalleled drying capability
- » Dries 37% faster than a cotton mat
- » Highly resilient and durable pile
- » Made from Renycle® 50% recycled nylon
- » 45% less energy used in production
- » Machine washable up to 60°C
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » Surface combination of micro nylon and high-twist nylon polyamide 6
- » 100% nitrile rubber backing

## Applications

- » Entrances » Receptions
- » Corridors » Elevators

## Certifications

» EN 13501-1 / CFL-s1 » EN 14041 Antistatic

## Absorption:

- » Dirt absorption: 1100 g/m<sup>2</sup>
- » Moisture absorption: 5-6 l/m²

## Specification

Height » Approx. 15 mm

## Standard

Sizes Widths » 60 x 85 cm » 85 cm » 85 x 120 cm » 115 cm

» 85 x 150 cm » 150 cm » 85 x 300 cm | » 200 cm

» 115 x 175 cm » 150 x 240 cm


## Full Technical Data































## Ultra absorbent 50% cotton, 50% polyester washable floor mats

An ideal barrier against moisture. Rich cotton fibres absorb moisture and strong polyester fibres hold and hide the dirt until the mat can be cleaned. Perfect for the busy entrance area and a great solution where dirt is often walked into buildings.

» Corridors

## Why Choose PolyCotton?

- » Extremely high water absorbency
- » Dual fibre pile for improved performance
- » Fully serviceable product
- » Slip-resistant rubber backing
- » Light and colour resistant
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » 50% cotton / 50% polyester » 100 % nitrile rubber backing
- Applications » Entrances
- » Receptions » Elevators

## Certifications » EN 13501-1 / EFL-s1

## Absorption:

800 g/m<sup>2</sup> » Dirt absorption:

» Moisture absorption: 4-5 l/m²

## Specification

Height Weight » Approx. 13 mm » 2.8 kg/m²

Standard Widths

## Sizes

» 60 x 85 cm 

» 85 x 300 cm

» 115 x 175 cm » 150 x 240 cm

» 85 x 150 cm » 150 cm

Lengths

» Up to 700 cm



Black White Black Grev

Black Brown



 $^*$ 2 year guarantee under industrial laundry conditions. For all mats we reseve the right of production-related tolerance of  $^*$ /-  $^*$ 3% in size. Colours are subject to commercial tolerance.





KLEEN-TEX COMMERICAL PRODUCT GUIDE 2024 | STANDARD ENTRANCE MATS























## The green choice: made from recycled PET plastics, a sustainable and durable mat

This is the environmentally friendly choice for keeping buildings clean. With a pile made from recycled PET bottles and PVC free, the Green-Horse mat has great dirt capture properties, fast drying times and a higher heat resistance.

Why Choose Green-Horse?	Technical Details		hnical Details Specification		
» Pile made from 100% recycled PET material	Materials » 100% recycled high-twist polyester » 100% nitrile rubber backing		Height » Approx. 10-11	Weig	<b>jht</b> 5 kg/m²
» Fast drying time			Standard		
» Fully serviceable product	Applications » Entrances	» Corridors	Sizes » 60 x 85 cm	Widths » 85 cm	Lengths » Up to 700 cm
» Slip-resistant rubber backing	» Receptions	» Elevators	» 85 x 120 cm » 85 x 150 cm	» 115 cm » 150 cm	,
» Light-fast and colour fade resistant	Certifications » EN 13501-1 / CFL-s1	» EN 14041 Antistatic	» 85 x 300 cm » 115 x 175 cm		
» Suitable for underfloor heating	» NFSI High-Traction		» 150 x 240 cm		
» 5 years Manufacturers Guarantee*	Absorption: » Dirt absorption:	800 g/m <sup>2</sup>			
Madain France	» Moisture absorption:	5-4 I/m°			






» Made in Europe



Full Technical Data























## Amazing water retention capacity from this high-profile rubber edged mat

This mat comes with a containment border capable of holding up to 4.5 litres of water per square metre. With a water dam rubber border to aid water retention, the Water-Horse is designed to remove dirt, grit and water from footwear and guarantees slip resistance.

\	. CL	e Water-	11
wn	/ Unoos	e water-	-HOTSE/

- » Enormous water retention capacity
- » Extremely durable polypropylene surface
- » Embossed waffle design
- » Made with recycled materials
- » Slip-resistant rubber backing
- » High profile rubber edge aiding water retention
- » 5 years Manufacturers Guarantee
- » Made in Europe

## Materials

**Technical Details** 

- » 50% polyester and 50% polypropylene surface (50% recycled content)
- » Embossed nitrile rubber core and backing (15% recycled rubber content)

## Applications

- » Entrances
- » Suitable for Outdoor Use

## Certifications

» EN 13501-1 / EFL-s1 » NFSI High-Traction

## Absorption:

## » Dirt absorption:

» Moisture absorption: 4-5 l/m²

# Specification **Height** » Approx. 7 mm


Weight

## Standard Sizes

- » 60 x 90 cm
- » 85 x 120 cm » 85 x 150 cm
- » 115 x 175 cm
- » 115 x 240 cm









KLEEN-TEX COMMERICAL PRODUCT GUIDE 2024 | STANDARD

















## Hard wearing, 100% rubber, multi-purpose mat

An all purpose, hard-wearing rubber mat that's oil, fat, chemical, solvent, heat and cold resistant, and can be used anywhere that needs a strong scraper profile whilst having a castellated pattern that offers anti-fatigue properties.

## Why Choose Kleen-Scrape?

- » 100% nitrile rubber mat
- » Suitable for use indoors or outdoors
- » Slip resistant rubber even when wet
- » Oil and chemical resistant
- » Anti-fatigue properties
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

» 100% nitrile rubber (15% recycled rubber content)

## Applications

- » Entrances
- » Production Lines
- » Prolonged standing work positions
- » Workstations

## Certifications

- » EN 13501-1 / EFL-s1
- » EN 14041 Antistatic
- » NFSI High-Traction

## Specification

## Height » Approx. 5-6 mm

Weight

## Standard Sizes Ribbed Pattern

- » 75 x 85 cm
- » 85 x 150 cm » 85 x 300 cm
- » 115 x 175 cm

## Chequerboard Pattern

- » 75 x 85 cm » 85 x 150 cm
- » 115 x 175 cm

# Full Technical Data



# "FC United of Manchester are delighted with the mats supplied by Kleen-Tex. The mats are very bright and visual and have created a warm and welcoming environment as soon as you step inside Broadhurst Park Stadium. We have received lots of feedback from our supporters and visitors coming to the stadium to ask if we can create smaller replica mats, we can sell in our club shop! We would like to thank Kleen-Tex for supplying these stunning mats and would highly recommend to other businesses and venues." F. Fielding Commercial Manager, FC United of Manchester

# **Excellent Statement**

**Highly Recommended** 

"The Jet Print logo mats produced by Kleen-Tex are of the highest quality. The mats are durable, effective, and hardwearing, whilst the graphics are sharp and vibrant, making an excellent statement for any business' public image."

## J. Pritchard

Ginger Mats Limited



# **Highest Standard**

"We have been working with Kleen-Tex for nearly 20 years and always found the quality of mats to be of the highest standard, matched only by their ever efficient service level".

**Customer Testimonials** 

## L. Brownless





# Make a Statement

With Kleen-Tex's custom printed mats, you have the opportunity to transform empty spaces into a dynamic and effective marketing tool. Not only do our products offer effective protection against dirt, dust, and moisture, but they also serve as a powerful platform for conveying important messages to your customers, harnessing untapped potential.

When someone enters a room or building, their eyes instinctively look down to assess the safety of

their surroundings. This means that with a custom printed mat, you can reach up to 99% of people who enter your premises with a memorable and impactful message. Whether it's promoting your brand, showcasing special offers, or warning of potential hazards, the possibilities are endless.

With Kleen-Tex's state-of-the-art printing technologies and exceptional colour reproduction, you can be sure that your custom printed mat will be eye-catching, innovative and effective.

# **Custom Printed Ranges**

## Indoor

Bold and vibrant mats that can be personalised with your unique artwork or message to add a touch of individuality to your entrance.

## Large Area

Versatile mats specifically designed for large-scale advertising. Durable with a clear print quality, Large Area mats are suitable for exhibition booths, events or promotion.

## Outdoor

Tough and lasting floor coverings specifically designed to be located where the outdoor elements can degrade lower quality products.

## Work Surface

For the highest quality printed image on a functional advertising mat, our Work Surface range offer pinsharp clarity with no compromise.

22 2



































» 2.48 kg/m<sup>2</sup>

Lengths

» Up to 700 cm

# State-of-the-art Jet-Print technology for a great first impression!

Vivid, bright coloured logos and graphics make Jet-Print an excellent eye-catcher, great for promotional use and placement at the point of purchase. It also performs perfectly as a dust control mat making it ideal for business entrances and reception areas.

## Why Choose Jet-Print?

- » Fully customisable with your own designs
- » High dirt and moisture absorption
- » Durable nylon surface
- » Pantone, HKS and RAL matching available†
- » Custom shapes available†
- » Slip-resistant rubber backing
- » Light-fast and colour fade resistant
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » 100% high-twist nylon polyamide 6.6 surface
- » 100% nitrile rubber backing

## Applications

» Point of Sale » Entrances » Advertisement » Corporate identity

# Certifications

- » EN 14041 Antistatic
- » EN 13501-1 / CFL-s1 » NFSI High-Traction

» See page 39 for Jet-Print palette details

## **Specification**

Height » Approx. 9 mm

Standard Sizes

» 60 x 85 cm » 60 cm » 85 x 120 cm » 75 cm » 85 x 150 cm » 85 cm

» 115 x 175 cm | » 150 cm » 150 x 240 cm » 200 cm

# Full Technical Data























## Feel the difference, custom printed mats with a deeper pile for that extra luxurious finishing touch

You can now get our famous custom designed Jet-Print mats with the added bonus of a rich, deeper pile surface. Impress your guests with a luxurious entrance mat where you can actually feel the difference under foot.

## Why Choose Jet-Print Plus?

- » Plush and durable nylon surface
- » Superior dirt and moisture absorption
- » Fully customisable with your own designs
- » Pantone, HKS and RAL matching available
- » Custom shapes available†
- » Slip-resistant rubber backing
- » Light-fast and colour fade resistant
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

» 100% high-twist nylon polyamide 6.6 surface » 100% nitrile rubber backing

## Applications

- » Point of Sale » Entrances
- » Advertisement » Corporate Identity

## Certifications

» EN 13501-1 / CFL-s1 » NFSI High-Traction » EN 14041 Antistatic

» See page 39 for Jet-Print palette details

## Specification

Weight Height » Approx. 10 mm » 2.75 kg/m²

## Standard

Sizes » 60 x 85 cm

» Up to 700 cm » 85 x 120 cm » 75 cm » 85 x 150 cm » 85 cm

# » 85 x 300 cm » 115 cm

» 115 x 175 cm | » 150 cm

» 150 x 240 cm | » 200 cm

Lengths



































# Create enchanting advertisements with these printed dirt catching mats

These mats are printed using exactly the same process as Jet-Print, but the pile and rubber have been slightly reduced to make the mat lighter to handle and more economical to purchase, whilst still offering great print quality.

## Why Choose Jet-Print Light?

- » Entry level custom printed mat
- » High dirt and moisture absorption
- » Fully customisable with your own designs
- » Pantone, HKS and RAL matching available†
- » Custom shapes available<sup>†</sup>
- » Slip-resistant rubber backing
- » Light-fast and colour fade resistant
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

» 100% high-twist nylon polyamide 6.6 surface

» 100% nitrile rubber backing

## Applications

- » Entrances » Events
- » Point of Sale » Advertisement » Corporate Identity

Certifications » EN 13501-1 / CFL-s1 » OEKO-TEX Certified

» See page 39 for Jet-Print palette details

## Specification

Height » Approx. 7 mm

Standard

o carraara	
Sizes	Widths
» 60 x 85 cm	» 60 cm
" 85 v 120 cm	1 75 cm

» 85 x 150 cm » 85 cm

» 115 x 175 cm | » 150 cm » 150 x 240 cm » 200 cm


» 85 x 300 cm | » 115 cm

Lengths

» Up to 700 cm







WILLKOMMEN









HERZLICH













## Make more of your corridors and large spaces

Turn your clients into stars with extra-long red carpets custom designed with your brand or promotional graphics. Runners up to 20m, and beyond when installed end to end. Providing many new creative possibilities for corridors, large spaces and entrances.

## Why Choose Jet-Print Horizon?

- » Extra long runner mat
- » High dirt and moisture absorption
- » Plush and durable nylon surface
- » Fully customisable with your own designs
- » Heavyweight durable vinyl backing
- » Pantone, HKS and RAL matching available<sup>†</sup>
- » Light-fast and colour fade resistant
- » 2 year guarantee
- » Made in Europe

# Materials

**Technical Details** 

» 100% high-twist nylon polyamide 6.6 surface » 100% vinyl backing

» Events

» Corporate Identity

## Applications

- » Entrances
- » Advertisement
- » Corridors

## Certifications » EN 13501-1 / BFL-s1

- » See page 39 for Jet-Print palette details

## **Specification**

Weight Height » Approx. 10 mm » 3.8 kg/m²

## Standard Widths

- » 100 cm including side borders
- » 160 cm including side borders » 200 cm including side borders

## Bespoke Length

» Up to 2000 cm





































# A velvet-like surface offers amazing printing results for your individual logo mat

Visually this mat is hard to beat, the Jet-Print Vision offers a fine surface texture that is ideal for bespoke printing such as logos and designs with fine or intricate detail.

## Why Choose Jet-Print Vision?

- » Excellent print clarity
- » Fully customisable with your own designs
- » Custom shapes available†
- » Slip-resistant rubber backing
- » Pantone, HKS and RAL matching available<sup>†</sup>
- » Light-fast and colour fade resistant
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » 100% straight-set nylon polyamide 6.6 surface » 100% nitrile rubber backing
- Applications
  - » Point of Sale

» Corporate Identity

- » Events » Advertisement
- Certifications » EN 13501-1 / CFL-s1

## Colour

» See page 39 for Jet-Print palette details

## Specification

Height » Approx. 7 mm

Sizes » 60 x 85 cm

» 85 x 300 cm » 115 cm » 115 x 175 cm | » 150 cm » 150 x 240 cm | » 200 cm

# Standard

» Up to 700 cm » 85 x 120 cm » 75 cm » 85 x 150 cm » 85 cm

Lengths







Due to the smooth and level velour material, this mat enables you to print in a precise and detailed manner with amazing colour quality. The Jet-Print Velour mat is perfect for creating effective, eye-catching presentations at promotional sales events and exhibitions.

## Why Choose Jet-Print Velour?

- » Fine nylon velour surface
- » Excellent print clarity
- » Slip-resistant rubber backing
- » Fully customisable with your own designs
- » Custom shapes available†
- » Light-fast and colour fade resistant
- » Suitable for underfloor heating
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

# Materials

Eye-catching and washable promotion mat with unique and realistic print

- » 100% polyamide 6 surface» 100% nitrile rubber backing
- **Applications**

## » Events

- » Corporate Identity
- » See page 39 for Jet-Print palette details

## Specification

Height Weight » Approx. 6 mm » 1.7 kg/m²

## Standard Sizes

» 60 x 85 cm	» 60 cm	» Up t
» 85 x 120 cm	» 75 cm	
0 = 4 = 0	0.5	

» 85 x 150 cm » 85 x 300 cm » 115 cm


» 115 x 175 cm » 150 cm


» 150 x 240 cm | » 200 cm

Lengths











## Position your logo, graphics or advertising message in the great outdoors

Practically everyone is familiar with the scratchy-fibre type of outdoor grass mats. Now they are no longer limited to green, as the innovative Jet-Print Outdoor allows you to step out into a world of full colour.

## Why Choose Jet-Print Outdoor?

- » Specifically developed for outdoor use
- » Fully customisable with your own designs
- » Coarse scraping action
- » Durable nylon grass effect surface
- » Pantone, HKS and RAL matching available  $^{\dagger}$
- » Custom shapes available†
- » Light-fast and colour fade resistant
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

» 100% monofilament PA 6 surface » 100% nitrile rubber backing

## Applications » Entrances

- » Advertisement » Corporate Identity
- » Suitable for Outdoor Use

## Certifications

» EN 13501-1 / BFL-s1

 $^1 Available for an additional surcharge \\ For all mats we reseve the right of production-related tolerance of +/-3\% in size. Colours are subject to commercial tolerance.$ 

» See page 39 for Jet-Print palette details

## Specification

# Height

## Standard Widths

» 50 cm » 85 cm

## Weight » 3.6 kg/m<sup>2</sup>

## » Approx. 8 mm

# » Up to 700 cm

» 115 cm


» 150 cm » 200 cm

## Full Technical Data









# A Section of the sect









## Stand out from the crowd with superb graphic clarity

Stand out in the crowd with our unique "Signs on the floor", perfect for events and exhibitions. Our advanced printing ability allows for excellent image reproduction and superb graphic clarity.

## Why Choose Jet-Print Event?

- » 100% velour and flexible latex combination
- » Excellent print clarity
- » Lightweight and durable
- » Fully customisable with your own designs
- » Custom shapes available<sup>†</sup>
- » PVC-free
- » Made in Europe

## **Technical Details**

## Materials

- » 100% polyamide 6 surface » 100% latex WV backing

## **Applications** » Events

- » Advertisement » Corporate Identity

## Colour

» Available in RGB 1998 colour palette

## Specification

Height Weight » Approx. 5 mm


## Standard

Lengths » Up to 200 cm Up to 2000 cm









Jet-Print Patio is a very versatile product, whilst highly suited as a give-away item this mat can also be used to enhance corporate identity, attract attention at the point of sale and create eye-catching advertisements.

## Why Choose Jet-Print Patio?

- » Affordable custom printed mat solution
- » Individual, photo-realistic print quality
- » Great promotional giveaway product
- » Spot-colours according to Pantone colours
- » Fully customisable with your own designs
- » Custom shapes available<sup>†</sup>
- » Made in Europe

## **Technical Details**

## Materials

- » 100% polyamide 6 surface » 100% vinyl backing

## Applications

- » Events » Advertisement
- » Point of Sale » Corporate Identity
- » Giveaways

## Certifications

» EN 13501-1 / CFL-s1

» Spot-colour selection according to Pantone

## Specification

# Height

» 2.4 kg/m² » Approx. 5 mm

## Standard Widths

» 39 cm » 45 cm

- » 100 cm
- » 200 cm

## Lengths » Up to 2000 cm

Weight

- » 58 cm
- » 70 cm
- » 78 cm

## Full Technical Data





















## Draw attention to big area events whilst ensuring successful brand awareness

Jet-Print Big Size is the perfect solution for any company or brand which aims to increase awareness and recognition. Ideally suited for exhibition booths, events or promotion areas in shops or department stores.

## Why Choose Jet-Print Big Size?

- » Huge printable area mat
- » Fully customisable with your own designs
- » Advanced nylon surface
- » Custom shapes available†
- » PVC-free
- » Made in Europe

## Materials

» 100% polyamide 6 surface

**Technical Details** 

» Available with textile or easy lift backing

» Point of Sale

» Corporate Identity

## **Applications**

- » Events
- » Advertisement

## Certifications

» EN 13501-1 / CFL-s1

» Up to 12 flat RGB colours per design

# **Specification** Height

» Approx. 6 mm

## Weight

» Textile backing:

## 1.65 kg/sqm » Easy Lift backing:

## Standard Widths

» Up to 400 cm

Lengths Up to 4000 cm





























# Display your advertising message with photo-realistic precision at the point of purchase

The Ad-Mat is especially effective for increasing the level of attention or emotionally charging your message at the point of sale-perfect increasing the level of attention or emotionally charging your message at the point of sale-perfect increasing the level of attention or emotionally charging your message at the point of sale-perfect increasing the level of attention or emotion of the point of the pofor promotions and events.

## Why Choose Ad-Mat Premium?

- » Floor level advertising
- » Point of sale and event opportunities
- » Photorealistic CMYK print clarity
- » Fully customisable with your own designs
- » Custom shapes available†
- » Machine washable up to 40°C
- » Slip-resistant rubber backing
- » 1 year Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » 100% knitted polyester surface
- » 100% nitrile rubber backing

## Applications » Events

- » Point of Sale » Advertisement » Corporate Identity
- Colour
- » Full colour CMYK sublimation print

## 0.9 mm Rubber Backing

## Height

Sizing

» Approx. 1.25 mm » 1.25 kg/m<sup>2</sup>

## 1.35 mm Rubber Backing

Height » Approx. 1.70 mm » 1.78 kg/m<sup>2</sup>

## Standard Sizes

» 40 x 60 cm » 85 x 150 cm  $> 50 \times 75 \text{ cm}$ »  $115 \times 180 \, \text{cm}$ » 60 x 85 cm » 115 x 200 cm » 85 x 120 cm » 150 x 200 cm





















## Deliver your message in the right place at the right time

This professional bar runner mat has the highest picture definition available on a functional mat. With full CMYK photo-real printing quality, brands, logos and marketing messages are displayed in all their intended glory with no compromise on clarity.

## Why Choose Bar-Mat Premium?

- » Bar top advertising
- » Protects bar top and absorbs spills
- » Photorealistic CMYK print clarity
- » Fully customisable with your own designs
- » Custom shapes available†
- » Machine washable up to 40°C
- » Slip-resistant rubber backing
- » 1 year Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

# Materials

- » 100% knitted polyester surface » 100% nitrile rubber backing

## Applications

- » Point of Sale » Events » Advertisement » Corporate Identity
- » Giveaways » Merchandising

## Colour

 $^1 A wailable for an additional surcharge \quad ^*1 year warranty against manufacturing defects. \\ For all mats we reseve the right of production-related tolerance of */-5\% in size. Colours are subject to commercial tolerance. \\$ 

» Full colour CMYK sublimation print

## Sizing

## 0.9 mm Rubber Backing Height

Weight » Approx. 1.25 mm » 1.25 kg/m<sup>2</sup>

# 1.35 mm Rubber Backing

## Weight Height

» Approx. 1.70 mm

## Standard Sizes

- » 23 x 43 cm
- » 24 x 89 cm
- » 19 x 60 cm

## **Custom Sizes** » On request











## Capture attention at the point of sale

Our Counter Mat is perfect for capturing the attention of customers or patrons right at the point of payment or customer service desk. With pin-sharp printing capabilities, you can use this mat to upsell a product or make customers aware of other services you may offer.

Why	/ Cho	nsa C	ounter	Mat?
WILLY		ひろこ し	ounter	riat:

» Counter top advertising

KLEEN-TEX COMMERICAL PRODUCT GUIDE

- » Point of purchase and upsell opportunities
- » Photorealistic CMYK print clarity
- » Fully customisable with your own designs
- » Custom shapes available†
- » Machine washable up to 40°C
- » Slip-resistant rubber backing
- » 1 year Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

» 100% knitted polyester surface

» 100% nitrile rubber backing

## Applications

» Events » Point of Sale » Advertisement » Corporate Identity

» Giveaways

## Colour

» Full colour CMYK sublimation print

## Sizing

## 0.9 mm Rubber Backing

Height

» Approx. 1.25 mm » 1.25 kg/m²

## 1.35 mm Rubber Backing

Height » Approx. 1.70 mm

Standard Sizes

» 23 x 43 cm

» 19 x 60 cm » 24 x 89 cm » 40 x 60 cm

## **Custom Sizes**

» On request



















Slip-resistant nitrile rubber backing will minimise keyboard slip and our stay flat, slimline construction gives a low, non-intrusive profile. Our Desk Planner Mats are a great way to reinforce your brand whilst effectively helping the user plan their week.

## Why Choose Desk Planner Mat?

- » Great promotional giveaway product
- » Smooth and stable surface for mouse control
- » Photorealistic CMYK print clarity
- » Fully customisable with your own designs
- » Custom shapes available†
- » Machine washable up to 40°C
- » Slip-resistant rubber backing
- » 1 year Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » 100% knitted polyester surface
- » 100% nitrile rubber backing

## Applications

- » Events » Point of Sale
- » Advertisement » Corporate Identity » Giveaways
- Colour
- » Full colour CMYK sublimation print

## Sizing

## 0.9 mm Rubber Backing Height Weight

» Approx. 1.25 mm » 1.25 kg/m<sup>2</sup>

# 1.35 mm Rubber Backing

## Height Weight

## » Approx. 1.70 mm

## Standard Sizes » 23 x 43 cm

» 24 x 89 cm » 19 x 60 cm » 40 x 60 cm

# **Custom Sizes**

» On request

Full Technical Data









## Bring your brand or product into focus

KLEEN-TEX COMMERICAL PRODUCT GUIDE 2024 | CUSTOM PRINTED MATS

Featuring a clean, consistent surface for ease of use and a slip-resistant base for your mouse and keyboard. Our Keyboard Runners are a great way to improve a desktop setup for work or play.

Why Choose Keyboard Runner?	Technical Details	Sizing
<ul> <li>» Functional merchandise opportunities</li> <li>» Smooth and stable surface for mouse control</li> <li>» Photorealistic CMYK print clarity</li> <li>» Fully customisable with your own designs</li> <li>» Custom shapes available<sup>†</sup></li> </ul>	Materials  » 100% knitted polyester surface » 100% nitrile rubber backing  Applications  » Events » Point of Sale » Advertisement » Corporate Identity » Giveaways	0.9 mm Rubber Backing Height Weight » Approx. 1.25 mm » 1.25 kg/m²  1.35 mm Rubber Backing Height Weight » Approx. 1.70 mm » 1.78 kg/m²  Standard Sizes
<ul><li>» Machine washable up to 40°C</li><li>» Slip-resistant rubber backing</li><li>» 1 year Manufacturers Guarantee*</li></ul>	<b>Colour</b> » Full colour CMYK sublimation print	» 23 x 43 cm
» Made in Europe		Full Technical Data


# **Colour Palettes**

Kleen-Tex's 66-colour Jet-Print palette offers an extensive range of vibrant and eye-catching hues allowing for unparalleled customisation and design possibilities. With an impressive selection of colours, ranging from subtle neutrals to bold and dynamic, we have every colour needed to rEFLect your vision. Our advanced Jet-Print technology ensures exceptional colour accuracy and sharpness, resulting in stunning floor coverings that are aesthetically pleasing whilst remaining durable and functional.

600	601	602	603	604	605	606	607	608	609
610	611	612	613	614	615	616	617	618	619
620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639
640	641	642	643	644	645	646	647	648	649
650	651	652	653	654	655	656	657	658	659
660	661	662	663	664	665	666			

# **Jet-Print Fabric Bases**

Our Custom Printed products range features a variety of surface finishes which will accept colour slightly differently depending on the material. It's important to thoroughly check your colours before placing your order to ensure a strong contrast between different elements of your design. Additionally, if you're uncertain about how the colours will appear on the specific surface material, we advise that you check a physical sample. These can be ordered at any time from our Customer Service team.



# High performance systems fo commercial applications **Fitted Entrance Products Elevate Your Entrance**

Step into the world of premium entrance systems with Kleen-Tex. Our high-performance entrance systems are engineered to perfection and built to last, making them the ultimate solution for any high-traffic public entrance.

Whether it's tile systems or grid systems, we've got you covered with a variety of textures, colours, and solid rubber finishes to choose from. And the best part? All our systems can be customised to meet your specific needs and design requirements.

At Kleen-Tex, we're not just about creating durable and functional entrance systems, but also about making a positive impact on the environment. That's why we're dedicated to reducing plastic waste while helping professionals take their commercial projects to the next level of environmental efficiency.

So, whether you're looking to enhance the safety and durability of your public entrances or make a sustainable choice, look no further than Kleen-Tex.

## **Grid System**

Efficient entrance systems that consistently remove foot-borne dirt and moisture from high traffic areas whilst simultaneously providing the highest aesthetic standard.

## Tile System

Easy to install and can be cut to any size, our tile systems are perfect for many commercial applications where dirt removal is a high priority.

# Did you know?

 According to the Health and Safety Executive (HSE), 90% of slip accidents in public buildings happen as a result of slipping on wet floors.
 An effective system can reduce the amount of dirt and moisture tracked into a building by up to 90%, helping to reduce such slip accidents.

# **Kleen-Fit System**

# Resilient Matting Systems for Fitted Wells and Recesses

Manufactured in Europe, our Kleen-Fit System profiles feature a resilient stainless steel wire construction that is suitable for installation throughout entrances that experience up to the heaviest of foot traffics.

The fitted entrance system is available with three types of inserts that can be tailored or even combined to meet specific project requirements, whilst delivering optimum performance.

## Why Choose Kleen-Fit System?

- A complete fitted entrance system
- Designed for busy entrance areas
- Extremely hard wearing
- 3 insert types, each in 3 colour options
- Mix and match types and colours
- 3 recess depths available
- Frames and ramps also available
- CFL-s1 fire certification
- National Institute of Hygiene certification
- 3 year Manufacturers Guarantee
- Made in Europe

Kleen-Fit System Brush - Designed to absorb moisture, this abrasion and compression resistant fibre fill is suitable for indoor use only.

Kleen-Fit System Ribbed - Made with tough, hard rubber this robust fill is resistant to moisture, corrosion and varying temperature extremes. Suitable for indoor or outdoor use.

Kleen-Fit System Scrub - Constructed of strong bristles that actively scrape debris from passing foot traffic. Resistant to moisture, corrosion and varying temperature extremes and also suitable for indoor or outdoor installation.

# **Unique Combinations**

Our individual Kleen-Fit System modules can be combined to create new combinations with unique properties to ensure your entrance solution services your need as effectively as possible.

## Brush/Ribbed












Combines a strong scraping action with efficient moisture control properties. Suitable for indoor use only.

## Scrub/Brush










Highly effective against removal of soil and dirt with efficient moisture control properties. Suitable for indoor use only.

## Scrub/Ribbed









Impressive effectiveness in removal of heavy soil and dirt. Suitable for indoor and outdoor use.















## Welcome guests with a clean and stylish entrance

A highly durable tread surface mounted within an aluminium frame. The abrasion and compression resistant fiber fill will absorb any moisture, keeping your floors clean and dry. Kleen-Fit System Brush is designed for indoor use only.

## Why Choose System Brush?

- » Entry level entrance system solution
- » Effective cleaning function
- » High foot traction
- » Hardwearing finish
- » Abrasion and crush resistant
- » Bespoke manufacturing to specification
- » 3 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

- Materials » Looped polypropylene
- » Aluminium with stainless steel wire

## **Applications**

- » Shopping centres» Public buildings
- Certifications

- » ITB NJ-5/KR/1106/09 » 10/11/BB91104001 » 48/09/BB91133001 » CFL-s1

» Leisure facilties

» Hospitals

» DIN 51130:2014-02:R11

# Sizing

- Height
  » Low Profile 12 mm
  » Medium Profile 17 mm
  » High Profile 22 mm


## Widths


» Made to order - no maximum width

## Length

» Made to order - no maximum length















Aluminium grid system to fit any space









Made with tough, hard rubber this robust fill is resistant to moisture, corrosion and varying temperature extremes. Suitable for indoor and outdoor use.

# Why Choose System Ribbed?

- » Entry level entrance system solution
- » Strong dirt removal
- » Effective cleaning function
- » Abrasion and crush resistant
- » Humidity and corrosion resistant
- » Bespoke manufacturing to specification
- » 3 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

» Hard rubber

» Aluminium with stainless steel wire

## Applications

- » Leisure facilties » Public buildings » Hospitals
- » Offices

## Certifications

- » ITB NJ-5/KR/1106/09 » 10/11/BB91104001 » 48/09/BB91133001 » CFL-s1
- » DIN 51130:2014-02:R12

## Sizing

## Height

## » Low Profile - 12 mm

- » Medium Profile 17 mm
- » High Profile 22 mm

## Widths


» Made to order - no maximum width

» Made to order - no maximum length

## Full Technical Data





















## Highly effective scrubbing fibres

Strong bristles actively scrape debris from passing foot traffic. This fill is also resistant to moisture, corrosion and varying temperature extremes. Use indoor or outdoor.

## Why Choose System Scrub?

- » Entry level entrance system solution
- » Extremely hard wearing
- » Designed for busy entrances
- » Perfect for high traffic areas
- » Resistant to humidity, corrosion and heat
- » Bespoke manufacturing to specification
- » 3 years Manufacturers Guarantee
- » Made in Europe

Black

# **Technical Details**

- Materials » Rigid polypropylene tufts » Aluminium with stainless steel wire

## Applications

- » Shopping centres
- » Public buildings
- » Offices
- Certifications
- » ITB NJ-5/KR/1106/09 » 10/11/BB91104001 » 48/09/BB91133001 » CFL-s1 » DIN 51130:2014-02:R13

» Leisure facilties

Sizing

## **Height** » Low Profile - 12 mm » Medium Profile - 17 mm

» High Profile - 22 mm

## Widths

» Made to order - no maximum width

## Length

» Made to order - no maximum length





Colours are subject to commercial tolerance.























## Easy to install, hard wearing tile system

Concourse is a primary matting system for use in commercial applications where the removal of foot borne contaminants at entrance ways is essential. The matting modules are supplied as solid moulded units in 18mm thickness.

Why Choose Concourse Tile?	lechnical Details	Sizing
» Slip resistant profile	Materials	Height
» Modular sizing without limits	» Polymer enhanced heavy-duty SBR rubber	» Standard Profile - 18 mm
» 100% natural rubber	<b>Applications</b> » Shopping centres » Leisure facilties	Module Size » 500 x 1000 mm
» Quick and easy to install	» Public buildings » Hospitals » Offices	Module Weight
» Compatible with Matrix Tile	Certifications	» 13 kg per module
» No minimum order quantity	» BS6307:1982 (2003) » DOC-FF-1-70	

» BS4790:1987 (2014) » TM144:2011


» 1 year Manufacturers Guarantee

» Made in Britain





















## Easy to install, hard wearing tile system

Matrix Tile is a primary matting system for use in commercial applications where the removal of foot borne contaminants at entrance ways is essential. The matting modules are supplied as solid units complete with nylon wiper pads and 2 thicknesses.

## Why Choose Matrix Tile?

- » Ideal for recessed mat wells
- » Modular sizing without limits
- » 100% natural rubber base
- » Quick and easy to install
- » No minimum order quantity
- » 1 year Manufacturers Guarantee

» Compatible with Concourse Tile

» Made in Europe

# **Technical Details**

- Materials
- » Solution dyed nylon » Polymer enhanced heavy duty SBR rubber

## Applications

- » Shopping centres» Public buildings» Offices

## Certifications

- » BS6307:1982 (2003) » DOC-FF-1-70 » BS4790:1987 (2014) » TM144:2011
- » Leisure facilties » Hospitals


# Module Size » 500 x 1000 mm

Sizing

- **Module Weight** » Low Profile 9 kg per module » Standard Profile 13 kg per module

**Height**» Low Profile - 12 mm
» Standard Profile - 18 mm







# Wave Goodbye To Tired Feet

A workforce that spends a lot of time on its feet is susceptible to back and joint damage, so it makes both pastoral and economic sense to protect employees from the stresses and strains of standing up to work.

Specialised anti-fatigue mats not only provide cushioning for your feet and joints, but they can also help improve your overall posture and reduce the risk of workplace injuries.

In addition to the physical benefits, anti-fatigue matting can also improve workplace safety by reducing slip and fall accidents. With their non-slip surfaces, these mats provide a secure footing for employees, even in wet or slippery conditions.

Investing in anti-fatigue matting is a smart choice for any employer looking to prioritise the health and safety of their workforce.

# **Anti-Fatigue Products**

## Industria

Mats designed to reduce discomfort and fatigue caused by prolonged standing in industrial settings. Made from durable materials, these mats are easier to keep clean in messy workplace environments.

## Office

Mats designed to enhance comfort and combat fatigue in office settings. Made to boost productivity and employee well-being, making them valuable additions to any office.

# Did you know?

- **80% of individuals who work in a standing upright position** suffer from problems with their legs and/ or back, with 30% of absenteeism attributed to back pain.
- Using an anti-fatigue mat during 8 hour working days reduces tiredness and increases standing comfort by 50% in comparison to a hard floor.
- Use of an anti-fatigue mat can increase productivity in employees by up to 44%.





























A durable rubber mat that provides excellent traction and fatigue relief for your muscles and joints at the same time. The cushioned inner construction promotes excellent anti-fatigue properties and its surface texture and low profile edges convey a better grip.

## Why Choose Kleen-Comfort?

- » Anti-fatigue mat for industrial areas
- » Impact absorbing foam core
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » Suitable for indoor and outdoor use
- » 5 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

- » 100% nitrile rubber
- (15% recycled rubber content) » 100% nitrile foam centre
- Applications
- » Prolonged standing work positions » Production lines
- » Service points » Workstations
- Certifications
- » EN 13501-1 / EFL-s1 » EN 14041 Antistatic

## » NFSI High-Traction

## Specification

## Height

» Approx. 15 mm

## Standard Sizes

- » 60 x 85 cm
- » 85 x 150 cm
- » 85 x 285 cm

Please note - 85 x 285 cm mat is not suitable for laundering

Weight

» 7.18 kg/m<sup>2</sup>

## Full Technical Data







## Extra safety protection where it's needed most

With this same low-profile edges and generous foam cushioning as the standard version, Kleen-Comfort Safety has bright yellow borders to draw attention to, and increase awareness of, dangerous or hazardous areas in the industrial workplace.

## Why Choose Kleen-Comfort Safety?

- » Safety model with bright coloured edging
- » Anti-fatigue mat for industrial areas
- » Impact absorbing foam core
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » Suitable for indoor and outdoor use
- » 5 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

- » 100% nitrile rubber
- (15% recycled rubber content)
- » 100% nitrile foam centre

## Applications

- » Prolonged standing work positions
- » Production lines » Service points
- » Workstations
- Certifications » EN 13501-1 / EFL-s1
- » EN 14041 Antistatic

## Specification

## Height Weight » Approx. 15 mm » 7.18 kg/m²

## Standard Sizes

- » 60 x 85 cm
- » 85 x 150 cm
- » 85 x 285 cm

Please note - 85 x 285 cm mat is not suitable for laundering

Full Technical Data

Industrial























# 

## Durable and practical as well as cushioning and protecting

The rubber foam construction of this anti-fatigue mat combines durability with practicality. It is suitable for indoor and outdoor use, in wet or dry conditions offering comfort and protection wherever workers stand.

## Why Choose Kleen-Cushion?

- » Anti-fatigue mat for industrial use
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Castellated pattern for increased grip
- » Slip-resistant rubber backing
- » Suitable for indoor and outdoor use
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

» 100% nitrile rubber

## Applications

- » Prolonged standing work positions
- » Workstations
- Certifications

» EN 14041 Antistatic

## Specification

## Height

» Approx. 7.5 mm

## Standard Sizes

- » 60 x 85 cm » 85 x 150 cm
- » 115 x 175 cm

## Full Technical Data

Weight

» 4.20 kg/m<sup>2</sup>







# Active comfort zones for targeted protection

This clever mat is constructed from 100% nitrile rubber and is designed with active comfort zones on its surface to massage feet where they stand and help protect against leg, foot and back fatigue. It also offers great protection from cold floors.

## Why Choose Kleen-Coil?

- » Active comfort zones
- » Anti-fatigue for industrial areas
- » Oil and chemical resistant
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Slip-resistant rubber backing
- » Suitable for indoor and outdoor use
- » 5 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

» 100% nitrile rubber

For all mats we reseve the right of production-related tolerance of  $\pm$  3% in size. Colours are subject to commercial tolerance

## Applications

- » Prolonged standing work positions » Production lines
- » Workstations

- Certifications » EN 13501-1 / DFL-s1
- » EN 14041 Antistatic » NFSI High-Traction

## Standard Sizes » 75 x 85 cm

» 85 x 150 cm

Height

- » 85 x 300 cm
- » 115 x 175 cm

Specification


» Approx. 7-8 mm

Weight

» 4.50 kg/m<sup>2</sup>









KLEEN-TEX COMMERICAL PRODUCT GUIDE 2024 | ANTI-FATIGUE











Hygienic anti-bacterial protection, ideal for use in wet areas









# 

With ribbed holes for drainage, this washable workspace mat is made from 100% nitrile rubber with built-in anti-bacterial properties that last for the life of the mat. This versatile mat helps to ease the fatigue in jobs where long periods of standing are required.

## Why Choose Kleen-Thru Plus?

- » Anti-bacterial hospitality matting
- » Certified anti-microbial protection
- » Ribbed surface for increased foot traction
- » Impact absorbing to avoid floor damage
- » Drainage holes to allow wet area usage
- » Slip-resistant rubber
- » Oil and chemical resistant
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

» 100% nitrile rubber

## **Applications**

- » Prolonged standing work positions
- » Professional kitchens
- » Wet areas
- » Bars

## Certifications

- » EN 13501-1 / EFL-s1 » AATCC 30 / AATCC 100
- » EN 14041 Antistatic

## Specification

## Height

» Approx. 8 mm

## Standard Sizes » 60 x 86 cm

» 86 x 143 cm




Weight

» 4.33 kg/m<sup>2</sup>

















Technical Details









Suitable for indoor and outdoor use, this hard-wearing rubber mat is oil, fat, chemical, solvent, heat and cold resistant, and can be used anywhere with strong scraper profile.

## Why Choose Kleen-Scrape?

- » Anti-fatigue mat for industrial areas
- » 100% nitrile rubber mat
- » Oil and chemical resistant
- » Suitable for use indoors or outdoors
- » Slip-resistant rubber even when wet
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## Materials

» 100% nitrile rubber (15% recycled rubber content)

## Applications

- » Production lines
- » Workstations
- » Entrances

## Certifications

- » EN 13501-1 / EFL-s1 » EN 14041 Antistatic
- » NFSI High-Traction

# Standard Sizes

Height

» Approx. 5-6 mm » 4.20 kg/m<sup>2</sup>

Weight

## Ribbed Pattern

Specification

## » 75 x 85 cm

- » 85 x 150 cm
- » 115 x 175 cm » 85 x 300 cm

## Chequerboard Pattern » 75 x 85 cm

- $> 85 \times 150 \, \mathrm{cm}$
- » 115 x 175 cm





Industrial

Kleen-Scrape





KLEEN-TEX COMMERICAL PRODUCT GUIDE 2024 | ANTI-

















This 100% nitrile foam mat literally cushions employees who have to stand for long periods of time, helping to reduce fatigue and improve well-being.

## Why Choose Kleen-Foam?

- » Deep cushioning floor pads
- » Anti-fatigue mat for industrial areas
- » Improves employee well being
- » Improves productivity
- » Impact resistance minimising breakages
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

» 100% nitrile foam rubber

## Applications

- » Prolonged standing work positions » Production lines
- » Workstations

## » Service points

## Specification

» Approx. 11-12 mm

## Standard Sizes


» 45 x 70 cm » 70 x 135 cm

Full Technical Data

Weight







# Fully customised graphics on a cushioned anti-fatigue mat

 $A \ mat \ for \ use \ in \ places \ where \ people \ need \ to \ stand \ for \ an \ extended \ period \ of \ time. \ Kleen-Comfort \ Design \ has \ a \ relieving \ effect \ for \ muscles$ and joints due to it's cushioned foam rubber construction. It can be printed with your artwork making it great for company logos.

## Why Choose Kleen-Comfort Design?

- » Anti-fatigue mat with custom graphics
- » Impact absorbing foam core
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

## Materials

- » Printed high-twist nylon surface » 100 % nitrile rubber with foam centre

## Applications

- » Prolonged standing work positions » Corporate identity
- » Service points
- » Workstations
- Certifications

» EN 13501-1 / EFL-s1  $\,\,$  » NFSI High-Traction

» See page 39 for Jet-Print palette details

## Specification

Height Weight » Approx. 20 mm » 5.77 kg/m<sup>2</sup>

## Standard Sizes

- » 60 x 85 cm
- » 85 x 150 cm
- » 85 x 285 cm

Please note - 85 x 285 cm mat is not suitable for laundering

























# 

# Relief for your muscles and joints in the workplace

Kleen-Comfort Office is the ideal cushioned anti-fatigue workplace mat. Made with a polypropylene surface, it is extremely durable and perfect for long standing comfort at workstations and counters.

## Why Choose Kleen-Comfort Office?

- » Anti-fatigue mat with durable surface
- » Impact absorbing foam core
- » Made with recycled rubber content
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » 5 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

- » 50% polyester, 50% polypropylene surface
- » 100% nitrile foam centre
- » 100% nitrile rubber backing (15% recycled rubber content)

## Applications

- » Prolonged standing work positions
- » Service points
- » Workstations

## Certifications

- » EN 13501-1 / EFL-s1 » DOC-FF-1-70
- » NFSI High-Traction

## Specification

## Height

## » Approx. 18 mm

- Standard Sizes
- » 85 x 150 cm
- » 85 x 285 cm

## Full Technical Data







## Weight

## » 5.89 kg/m<sup>2</sup>

- » 55 x 78 cm

## » Anti-fatigue mat with soft surface Materials

667 2 (S) (MASS) (MASS)

Soft nylon surface with cushioned rubber foam backing

properties are provided by the 100% nitrile foam cushioning.

Why Choose Kleen-Comfort Soft?

- » Impact absorbing foam core
- » Relief for muscles and joints
- » Cushioned for long standing comfort
- » Low profile edges to avoid trips
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

## **Technical Details**

» 100% high-twist nylon polyamide 6 surface

With a stylish soft, yet durable nylon surface, this mat offers the perfect solution for workers who stand for long periods. Its anti-fatigue

- » 100% nitrile foam centre
- » 100% nitrile rubber backing

## Applications

- » Prolonged standing work positions » Service points
- » Workstations

## Certifications

» DOC-FF-1-70 » NFSI High-Traction

Height

» Approx. 21 mm » 5.79 kg/m<sup>2</sup>

## Standard Sizes » 55 x 78 cm

Specification

- » 85 x 150 cm
- » 85 x 285 cm


Please note - 85 x 285 cm mat is not suitable for laundering

Weight

Kleen-Comfort Soft









# Create secure, hazard free working environments

Our high-performing Workplace Safety mats are meticulously engineered to enhance workplace safety across various industries and settings.

Crafted with high-quality materials and advanced technology, our Workplace Safety Mats offer unbeatable slip resistance and ergonomic support, reducing the risk of slips, trips, and falls. Whether in industrial, commercial or office environments, these mats provide a reliable defence against common workplace hazards.

Kleen-Tex recognises the critical importance of safety in the workplace, and our range of safety mats comes in various styles and sizes to suit different needs and preferences.

Invest in Kleen-Tex's Workplace Safety Mats to create a secure and accident-free workplace, fostering employee well-being, productivity, and peace of mind. With these top-of-the-line safety mats, you can prioritise safety without compromising on quality and functionality.

# **Workplace Safety Products**

## Health

Supporting safe, healthy and productive working environments. Health Mats are designed to reduce the transmission of bacteria in places where cleanliness is imperative.

## Safety

Specialist safety mats enhance workplace safety throughout many industries. Range of solutions such as slip-resistance, fire-resistance, chemical-resistance, cable tidy etc.

## Safety Messaging

Clean and tidy, functional solutions for mandatory safety signage. Safety Signage Mats provide important information, as well as a safe and clean building solution.























## Reduce accidents by containing loose cables and highlighting potential tripping hazard

Loose cables and wires in offices and production areas are a safety hazard. The Kleen-Cable Mat has been developed to help prevent such a hazard and reduce trips and falls. Easy to place over loose cables, the high visibility borders provide a visual warning for staff and visitors.

## Why Choose Kleen-Cable Mat?

- » Easily installable cable safety solution
- » Safely tidy loose wires and cables
- » Integrated channel to hold cables in place
- » High visibility warning borders
- » Slip-resistant rubber backing
- » Suitable for underfloor heating
- » 2 years Manufacturers Guarantee
- » Made in Europe

## Technical Details

## Materials

» 100 % high-twist nylon polyamide 6.6

» 100 % nitrile rubber backing

## Applications

» Anywhere loose cables or wires present a possible trip hazards

## Certifications

» EN 13501-1 / DFL-s1

» EN 14041 Antistatic

## Specification

## Height

» Approx. 13 mm

## Standard Sizes

» 40 x 120 cm



Weight

» Approx. 3.95 kg/m<sup>2</sup>

































Loose cables and wires in offices and production places are a safety hazard. The Kleen-Cable Mat Rubber version of this safety product allows for use in conditions where oil, grease and chemicals are present and can be used in outdoor places.

## Why Choose Kleen-Cable Mat Rubber?

- » Go anywhere cable protection
- » Safely tidy loose wires and cables
- » Integrated channel to hold cables in place
- » High visibility warning borders
- » Made with recycled rubber content
- » Slip-resistant rubber backing
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

» 100% nitrile rubber (15% recycled rubber content)

## Applications

- » Anywhere loose cables or wires present a possible trip hazards » Suitable for Outdoor Use

## Certifications

» EN14041 Antistatic

## Specification

Height Weight » Approx. 5 mm » Approx. 5.8kg/m<sup>2</sup>

# Standard Sizes

» 40 x 120 cm

»  $40 \times 160$  cm and  $40 \times 200$  cm available to order































Warehouse entrance mats for wheeled equipment Heavy duty mat that removes water and dirt from wheels as they enter your building, keeping your loading bay floor clean and dry. Reduces the risk of employees slipping on a wet floor and lessens the ingress of dirt and moisture, saving on cleaning costs.

## Why Choose Kleen-Wheel Forklift?

- » Highly absorbant, durable surface
- » Removes dirt and moisture from wheels
- » Extra thick rubber backing for strength
- » Save money on repeat cleaning costs
- » Reduces the risks of slips and trips
- » Made with recycled rubber content
- » 2 years Manufacturers Guarantee
- » Made in Europe

## Technical Details

- » 100% micro nylon and high-twist nylon (HTN) polyamide 6
- » 100 % nitrile rubber backing (15% recycled rubber content)

## Applications

- » Dispatch area » Warehouse
- » Loading bay

## Certifications

» EN 14041 Antistatic

## Specification

# Height

» Approx. 16 mm

## Standard Widths

- » 85 cm
- » 115 cm » 150 cm
- » 200 cm

## Lengths » Up to 700 cm

» 5.02 kg/m<sup>2</sup>

Weight

## Full Technical Data







# Highlights potential hazards

 $A \ durable \ logo \ mat \ of fering \ customised \ and \ highly \ visible \ safety \ messages \ or \ graphics \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ and \ to \ draw \ attention \ to \ any \ potential \ hazards \ attention \ to \ any \ potential \ hazards \ attention \ to \ any \ potential \ hazards \ attention \ to \ any \ potential \ hazards \ attention \ to \ any \ potential \ hazards \ attention \ to \ attention \ to \ any \ potential \ hazards \ attention \ to \ attenti$ remind people to take care.

## Why Choose Jet-Print Hi-Vis?

- » Highly visible safety signage
- » High dirt and moisture absorption
- » Fully serviceable product
- » Fully customisable with your own designs
- » Slip-resistant rubber backing
- » Suitable for underfloor heating
- » 5 years Manufacturers Guarantee\*
- » Made in Europe

# **Technical Details**

## Materials » 100% nylon (HTN) polyamide 6.6 surface

» 100% nitrile rubber

» Workplaces

» Warehousing

# Applications

- » Public Buildings
- » Factories

## Certifications

- » EN 13501-1 / CFL-s1 » EN 14041 Antistatic
- » NFSI High-Traction

## Specification Height

Weight » Approx. 9 mm » 2.48 kg/m<sup>2</sup>

## Standard

Sizes Widths » 85 x 120 cm

» 115 x 175 cm » 115 cm

» 200 cm

Full Technical Data

Lengths

» Up to 700 cm



Hi-Vis Yellow







## Maximise the prevention of contamination with this anti-bacterial barrier matting

Designed for use in workplaces where hygiene is paramount, these clever sticky mats offer maximum removal of fine dust, dirt and other paramount of the dust ofcontaminants. Ideal for use in laboratories, hospitals, surgeries or clean operating areas.

Why Choose Kleen-Sticky Mat?	Technical Details	Specification
<ul> <li>» Minimise foot borne contamination</li> <li>» Facilitates cart and foot traffic</li> <li>» 30 or 60 layers of renewable protection</li> </ul>	Materials » Frame: 100% nitrile rubber (15% recycled rubber content) » Mat: 100% polyethylene	Height  » Approx. 2 mm  Standard Sizes Kleen-Sticky Mat Kleen-Sticky Frame
» Anti-bacterial elements  » Optional nitrile rubber containment frame	Applications » Clean rooms » Laboratories » Medical facilities	» 90 x 45 cm » 90 x 60 cm » 115 x 45 cm » 126 x 71 cm » 126 x 101 cm
» Easy relocation » Quick removal	Certifications » EN 13501-1 / DFL-s1 » EN 14041 Antistatic	» 115 x 90 cm
» Made in Europe		Full Technical Data







spills and slip hazards.

## Why Choose Kleen-Cooler Mat?

- » Custom fit for water dispensers
- » Minimising potential slips from spilled water
- » Contemporary colour selection
- » Durable and vibrant nylon surface
- » Made with recycled rubber content
- » Slip-resistant rubber backing
- » Suitable for underfloor heating
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

- » 100% high-twist nylon polyamid 6.6 surface » 100% nitrile rubber
- (15% recycled rubber content)

## Applications

Materials

» Water dispensers

Certifications » EN 13501-1 / CFL-s1

## Specification

Height

» Approx. 11-12 mm

# Standard Sizes » 85 x 60 cm

Full Technical Data









Smokey Mount Regal Red









Raven Black



Weight

Safety

Kleen-Cooler Mat



Wet area tiles are a high-quality flooring solution designed specifically for wet and moisture-prone areas such as locker rooms, swimming pools, and spa facilities.


Made from durable and slip-resistant materials that provide excellent traction, they're easy to clean and maintain, making them an ideal choice for hightraffic areas.

Our selection of tiles are available in a range of colours and styles, allowing you to create a customised look that matches your decor. A preformed interlocking system makes them quick and easy to install in any space, shape or size.

With their high performance and stylish appearance, Kleen-Tex's wet area tiles are an excellent choice for any space where moisture is a concern.

- » Poolside
- » Wet rooms
- » Locker rooms
- » Shower rooms
- » Saunas








## Interlocking area tiles designed for wet areas

The curved design of the lines and hollow construction promotes immediate drainage and allows water to pass directly through the tile. The soft surface of provides a comfortable, slip resistant, safe and dry cushioned surface for bare feet. Easy to install and keep clean.

Why Choose Kleen-Tile?	Technical Details	Specification
» Interlocking wet area tile	Materials	Height Weight
» UV resistant material	» UV-resistant, anti bacterially treated vinyl	» Approx. 10 mm » Approx. 4.2 kg/m²
» Reduce wet area accidents	Applications  » Poolside  » Locker rooms  » Shower rooms	<b>Tile Size</b> » 30.4 × 30.4 cm
» Soft touch traction for bare feet		Interlocking modular link system allows
» Modular construction - suitable for any area	Certifications » EN 13501-1 / BFL-s1 » EN ISO 11925-2	for infinite size option  Pack Size
» Easy to install	» EN ISO 9239-1	» 16 tiles per pack (=1.47 m²)
» 3 year or 3 million crossings guarantee	» DIN 51097: A + B + C » DIN EN 13451/15288-1: 26° » ISO 16000-9: TVOC Class A+	
» Made in Europe		5 H T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

























Designed specifically for wet areas (both indoors and outdoors), its interlocking structure makes it great for covering large spaces - and is 100% recyclable. Reduces slip and trip accidents by providing good traction for bare feet reducing the likelihood of serious injury.

## Why Choose Kleen-Wave?

- » Interlocking wet area tile
- » Made from recyclable material  $\,$
- » Anti-microbial properties
- » Reduce wet area accidents
- » Soft touch traction for bare feet
- » Modular construction suitable for any area
- » Easy to install
- » 2 year or 2 million crossings guarantee
- » Made in Europe

# **Technical Details**

## Materials » 100% recyclable PET plastic

## Applications

- » Poolside » Wet rooms
- » Locker rooms » Shower rooms

- Certifications
  » DIN 51097: A + B + C
- » DIN EN 13451/15288-1: 30°
- » ISO 16000-9: TVOC Class A+

## Specification

Height Weight » Approx. 9 mm » Approx. 2.2 kg/m<sup>2</sup>

# **Tile Size** » 58 x 100 cm

Interlocking modular link system allows for infinite size option

Full Technical Data





Mats designed for the transport sector play a crucial role in ensuring cleanliness and safety within vehicles. These mats are specifically engineered to withstand the challenges and demands of transportation environments. Practical solutions designed to preserve cleanliness and enhance safety during or around traveling.

From reserving a car parking space for customer collections to ensuring an aircraft looks

immaculate once every passenger has embarked, our Transportation Mats are high-quality products designed for a variety of purposes.

With their superior performance and stylish appearance, Kleen-Tex's Transportation mats are an excellent choice for anyone who wants to keep their vehicle's interior looking well-maintained.

## Public Transport


Designed to enhance passenger comfort, experience and cleanliness. Made to withstand high traffic and wear and made from easy to clean materials.

## Car Mats

Mats manufactured with vehicle protection and long-term cleanliness in mind. Designed to provide traction where needed and a barrier to potentially damaging hazards.



Trusted Customer











## Created exclusively for use on passenger aircraft, this mat ticks all the boxes for the aviation industry

Highly absorbent and durable wool/nylon fibres combined with coarse monofilament scrapers makes this the ideal product to remove foot borne moisture from passenger and cabin crew shoes. Constructed with a flame retardant PVC backing.

## Why Choose Airline Mat?

- » Meets CAA requirements
- » Dries and cleans shoes on entry
- » Safer passenger boarding
- » Reduce slips and trips due to wet floors
- » Reduces aircraft cleaning costs
- » Easy to clean and maintain
- » Easy to replace during maintenance
- » Made in Europe

## Technical Details

## Materials

- » 80% hard-twist cut pile
- » 20% wool/nylon blend
- » Coarse nylon scraper » Fire retardant PVC backing

## Applications

- » Aircraft entrances » Galley
- » Aisles

## Certifications

- » FAR/JAR Part 25 App. F Part 1 Vertical Test

## Specification

## Height

» 3.5 kg/m<sup>2</sup> +/- 7.5% » Approx. 10 mm

Weight

## Standard Sizes

- »  $76 \times 76 \text{ cm} +/-5\%$
- » 76 x 122 cm +/- 5%
- » 76 x 154 cm +/- 5%

## Full Technical Data





















## A lush, PET fibre pile made from 100% recycled materials

Designed to absorb and trap dirt, mud, debris and many other contamination types, with an impervious rubber backing to prevent moisture from passing through to the boot lining, the Car Protector Set is a welcome addition to a busy car.

## Why Choose Car-Protector Premium?

## » Keeps boot lining clean and dry

- » Protects bumper from scuffs and scrapes
- » Superior dirt and moisture absorbency
- » Detachable bumper panel
- » Made with 100% recycled PET fibre pile
- » Machine washable up to 30°C
- » Fast drying surface
- » 5 years Manufacturers Guarantee

# **Technical Details**

## Materials

- » 100 % recycled PET material » 100 % nitrile rubber (15% recycled rubber content)

## Applications » Car boots


## Certifications

- » EN 13501-1 Certified
- » NFSI High-Traction

Specification

Sizes

» Approx. 10-11 mm





















# 

## Protection for you, your family and your vehicle

Unsecured cables can lead to accident or injury or lead to damage of the charging unit or even your vehicle. Kleen-Cable Mat EV is designed to contain loose Electric Vehicle cables flat to the ground and reduce the likelihood of a trip accident.

## Why Choose Kleen-Cable Mat EV?

- » Electric vehicle charging cable safety
- » Protects pedestrians from potential trip hazards
- » Integrated channel to hold cables in place
- » High visibility warning borders
- » Suitable for all weather conditions
- » Slip-resistant rubber
- » Made with recycled rubber content
- » 2 years Manufacturers Guarantee
- » Made in Europe

## **Technical Details**

## Materials

» 100% nitrile rubber (15% recycled rubber content)

## Applications

- » EV charging points
- » Garages » Driveways » Forecourts

## Certifications

» EN 14041 Antistatic

## Specification

## Height

» Approx. 5.8kg/m² » Approx. 5 mm

## Standard Sizes

- » 40 x 120 cm
- » 40 x 160 cm and 40 x 200 cm available to order

Weight























## Designate areas of your car parks to specific purposes

No more messy and permanent paint markings to designate collection bays or other areas. Our Parking Mat provides a sleek, temporary and flexible solution. Upgrade your parking game.

## Why Choose Parking Mat?

- » Non-permanent solution to parking allocation
- » Fully customisable with your own branding
- » Suitable for all weather conditions
- » Durable nylon grass effect surface
- » Pantone, HKS and RAL matching available  $^{\dagger}$
- » Light-fast and colour fade resistant
- » 2 years Manufacturers Guarantee
- » Made in Europe

# **Technical Details**

## Materials

- » 100% monofilament PA 6 surface » 100% nitrile rubber backing
- Applications

## » Car parks

# Certifications

» EN 13501-1 / BFL-s1

» See page 39 for Jet-Print palette details

## Specification

Height Weight » Approx. 8 mm

## Standard Sizes

- » 150 x 300 cm
- » 115 x 250 cm
- » Custom sizes also available





Car Mats

Parking Mat

					Sn	ecification				Certification			Surface (and Foam In	cort if annlicat	la)					Ra	cking					Cleaning					Details		
		1			- Jp	L	·			Certification			Juniace (and rounnin								CKIIIG		Borders			Ciculing			I	Constal		Collection for	Customa
Product Name	Outdoor Use	Eco Properties	Application Area	Max Widt		Mat Heigl	mt Weig		Burning Behaviour	Static Electrical Propensity	Slip Resistance	Material	Colouration	Pile (or Foam) Height	Pile (or Foam) Weight	Dirt Absorption	Moisture Absorption	Material	Grip Type	Height	Weight	Availability		Height	Machine Washable	Drying	Manual Cleaning	Custom Designs	Custom Shapes	Colours	Colourfast and Lightfast	Underfloor	Guarantee Customs Tariff Number
Ad-Mat	-	(F)	1 2 3	150 c	m 200 cm	1.25/1.7	mm 1.25/	1.78 m²	-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m²	-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Optional	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	CMYK	-	Yes	1 Year 54076990
Airline-Mat	-	F	1 2 3	76 cr	m 154 cm	~10 m	m ~3.5 k	kg/m² E	EASA CS.25.853	-	-	Wool and nylon blend with polyester back	-	~8 mm	1.55 kg/m²	-	-	Flame retardant PVC	Embossed	2.5 mm	2 kg/m²	Standard	30 mm	2.5 mm	-	Lay flat	Vacuum/ Steam	-	-	-	-	-	- 57032999
Bar-Mat	-	P	1 2 3	150 c	m 200 cm	1.25/1.7	mm 1.25/		-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m²	-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Standard	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	CMYK	-	Yes	1 Year 54076990
Car Protector Premium Mat	-	¥	1 2 3	90cr	m 110 cm	~11 m	m 2.7 kg	g/m²	-	-	NESIZ	Recycled PET material	Solution dyed	9-10 mm	950 g/m²	800 g/m²	3-4 l/m²	100% nitrile rubber 15% recycled	Flat	1.2 mm	1.75 kg/m²	No	-	-	Up to 30°c	Lay flat	Vacuum	-	-	-	Yes	-	5 Years 57033088
Car Protector Premium Flag	-	7	1 2 3	70cr	m 100 cm	1.7 m	m 2.48 k	kg/m²	-	-	NESI	100% Nitrile rubber (15% recycled)	N/A	-	-	-	-	100% nitrile rubber	Flat	1.7 mm	2.48 kg/m²	No	-	-	-	Lay flat	Wipe Clean	-	-	-	-	-	5 Years 40169100
Counter Mat	-	To the second	1 2 3	150 c	cm 200 cm	1.25/1.7	mm 1.25/	/1.78 m²	-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m²	-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Standard	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	CMYK	-	Yes	1 Year 54076990
Desk Planner Mat	-	( Property of the contract of	1 2 3	150 c	cm 200 cm	1.25/1.7	mm 1.25/	1.78 m²	-	-	-	Knitted polyester	Sublimation	0.35 mm	210 g/m²	-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Standard	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	CMYK	-	Yes	1 Year 54076990
EcoAbsorb	-	7	1 2 3	200 c	m 700 cm	~15 m	m 2.85 k	kg/m² EN	N13501-1/CFL-s1	EN14041 Antistatic	-	Micro nylon & high-twist nylon polyamide 6 50% recycled varn	Solution dyed	~14 mm	1100 g/m²	1100 g/m²	5-6 l/m²	100% nitrile rubber	Kleeted/Flat	1.5 mm	1.75 kg/m²	Optional	20 mm	2.5mm	Up to 60°c	Up to 60°c	Vacuum/ Steam Clean	-	-	-	Yes	Yes	5 Years† 57032999
Entrance	-	7	1 2 3	115 c	m 175 cm	~11-12	mm 2.2 kg	g/m² EN	N13501-1/CFL-s1	-	NESI	100% high-twist nylon polyamide 6.6	Solution dyed	~10-11 mm	700 g/m²	800 g/m²	3-4 l/m²	100% nitrile rubber 15% recycled	Kleeted	1.2 mm	1.5 kg/m²	Standard	20 mm	2.2 mm	-	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	2 Years 57032999
Green-Horse	-	7	1 2 3	150 c	m 700 cm	~10-11	mm 2.65 k	kg/m² EN	N13501-1/CFL-s1	EN14041 Antistatic	NESI	Recycled 100% PET material	Solution dyed	~9-10 mm	950 g/m²	800 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes	Yes	5 Years† 57033999
Iron-Horse	-	Tr.	1 2 3	200 c	m* 700 cm	~11-12	mm 2.4 kg	g/m² EN	N13501-1/CFL-s1	EN14041 Antistatic	NESI	100% high-twist nylon polyamide 6	Solution dyed	~10-11 mm	700 g/m²	800 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes	Yes	5 Years† 57032999
Iron-Horse Light	-	F	1 2 3	115 c	m 175 cm	~11-12	mm 1.8 kg	g/m²	-	-	-	100% high-twist nylon polyamide 6.6	Solution dyed	~10-11mm	700 g/m²	800 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	0.9 mm	1.1 kg/m²	Standard	10 mm	0.9 mm	Up to 40°c	Up to 40°c	Vacuum/ Steam	-	-	-	Yes	Yes	2 Years 57032999
Iron-Horse XL	-	T	1 2 3	150 c	m 700 cm	~13-14	mm 2.54 k	kg/m² EN	N13501-1/CFL-s1	EN14041 Antistatic	NESI 🗹	100% high-twist nylon polyamide 6.6	Solution dyed	~12-13 mm	840 g/m²	1000 g/m²	4-5 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes	Yes	5 Years† 57032999
Jet-Print	-	T	1 2 3	200 c	m 700 cm	~9 m	m 2.48 k	kg/m² EN	N13501-1/CFL-s1	EN14041 Antistatic	NESIE	100% high-twist nylon polyamide 6.6	Chromojet printing	~8 mm	780 g/m²	600 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	Yes	Yes	Pantone, HKS, RAL	Yes	Yes	5 Years† 57032999
Jet-Print Big Size	Yes	F	1 2 3	400 c	cm 4000 cm	~6 m	m 1.65/2	2.67 EN	N13501-1/CFL-s1	-	-	100% polyamide 6	Chromojet printing	~4 mm	500 g/m²	-	-	Textile or easy lift	Flat	~2mm	-	No	-	-	-	Lay flat	Vacuum/ Carpet Clean	Yes	-	RGB 1998	-	-	- 57032919
Jet-Print Event	Yes	7	1 2 3	200 c	cm 2000 cm	~5 mi	m 1.1 kg	g/m²	-	-	-	100% polyamide 6	Chromojet printing	~4 mm	325 g/m²	-	-	Latex WV backing	Flat Waffle	~1mm	-	No	-	-	-	Lay flat	Vacuum/ Carpet Clean	Yes	-	RGB 1998	-	-	- 57032919
Jet-Print Hi-Vis	-	Tr.	1 2 3	200 c	m 700 cm	~9 m	m 2.48 k	kg/m² EN	N13501-1/CFL-s1	EN14041 Antistatic	NESI	100% high-twist nylon polyamide 6.6	Chromojet printing	~8 mm	780 g/m²	600 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	Yes	-	-	Yes	Yes	5 Years† 57032999
Jet-Print Horizon	-	7	1 2 3	200 c	cm 2000 cm	~10 m	m 3.8 kg	g/m² EN	N13501-1/BFL-s1	-	-	100% high-twist nylon polyamide 6.6	Chromojet printing	~8 mm	1080 g/m²	700 g/m²	4-5 l/m²	100% vinyl	Flat	2 mm	2.72 kg/m²	Standard	25 mm	2 mm	-	Lay flat	Vacuum/ Steam Clean	Yes	-	Pantone, HKS, RAL	Yes	Yes	2 Years 57032999
Jet-Print Light	-	F	1 2 3	200 c	m 700 cm	~7 m	m 1.9 kg	g/m² EN	N13501-1/CFL-s1	-	-	100% High-twist nylon polyamide 6.6	Chromojet printing	~6 mm	680 g/m²	470 g/m²	2-3 l/m²	100% nitrile rubber	Kleeted/Flat	0.9 mm	1.2 kg/m²	Optional	10 mm	1.9 mm	Up to 60°c	Up to 60°c	Vacuum	Yes	Yes	Pantone, HKS. RAL	Yes	Yes	2 Years 57032999
Jet-Print Outdoor	Yes	T	1 2 3	200 c	m 700 cm	~8 m	m 3.6 kc	g/m² EN	N13501-1/BFL-s1	-	-	100% monofilament PA 6	Chromojet printing	~6 mm	~1420 g/m²	-	-	100% nitrile rubber	Kleeted/Flat	1.8 mm	2.2 kg/m²	Optional	20 mm	1.8 mm	-	Lay flat	Vacuum	Yes	Yes	Pantone, HKS. RAL	Yes	Yes	2 Years 57032999
Jet-Print Patio	-	T	1 2 3	200 c	m 2000 cm	~5 mi	m 2.4 kg	g/m² EN	N13501-1/CFL-s1	-	-	100% polyamide 6	Chromojet printing	~3 mm	300 g/m²	-	-	Vinyl backing	Flat	~2mm	~2.05 kg/m²	Standard	25 mm	-	Up to 30°c	Lay flat	Vacuum/ Hand Wash	Yes	Yes	RGB 1998	-	-	- 57032919
Jet-Print Plus	-	7	1 2 3	200 c	m 700 cm	~10 m	m 2.75 k	kg/m² EN	N13501-1/CFL-s1	EN14041 Antistatic	NESI 🗹	100% high-twist nylon polyamide 6.6	Chromojet printing	~9 mm	1050 g/m²	800 g/m²	4-5 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	Yes	Yes	Pantone, HKS. RAL	Yes	Yes	5 Years† 57032999
Jet-Print Velour	-	To the second	1 2 3	200 c	cm 400 cm	~6 m	m 1.7 kg	g/m²	-	-	-	100% polyamide 6	Chromojet printing	~5mm	525 g/m²	-	-	100% nitrile rubber	Flat	0.9 mm	1.2 kg/m²	Standard	20 mm	1.9 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	RGB 1998	Yes	Yes	2 Years 57032999
Jet-Print Vision	-	T	1 2 3	200 c	m 700 cm	~7 m	m 2.5 kg	g/m² EN	N13501-1/CFL-s1	-	-	100% high-twist nylon polyamide 6.6	Chromojet printing	~6 mm	800 g/m²	400 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.4 mm	1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	Yes	Yes	Pantone, HKS. RAL	Yes	Yes	5 Years† 57032999
Keyboard Runner	-	7	1 2 3	150 c	m 200 cm	1.25/1.7	mm 1.25/	1.78	-	-	-	100% knitted polyester	Sublimation	0.35 mm	210 g/m²	-	-	100% nitrile rubber	Flat	0.9/1.35mm	1.04/1.57 kg/m²	Standard	10/20 mm	0.9/1.35 mm	Up to 40°c	Lay flat	Vacuum	Yes	Yes	CMYK	-	Yes	1 Year 54076990
Kleen-Cable Mat	-	7	1 2 3	40cr	m 200cm	~13 m	m 3.95 k	kg/m² EN	N13501-1/DFL-s1	EN14041 Antistatic	-	100% high-twist nylon polyamide 6.6	Solution dyed	~10 mm	700 g/m²	800 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted	2.8mm	3.24 kg/m²	Standard	30 mm	2.8 mm	-	Lay flat	Vacuum/ SteamClean	-	-	-	Yes	Yes	2 Years 57032999
Kleen-Cable Mat EV	Yes	7	1 2 3	40cr	m 200cm	~ 5 m	m ~ 5.8 k	kg/m²	-	EN14041 Antistatic		100% nitrile rubber (15% recycled)	N/A	-	-	-	-	100% nitrile rubber (15% recycled)	Kleeted	4.8 mm	5.8 kg/m²	Standard	30 mm	4.8 mm	-	Lay flat	Brush/ Pressure	-	-	-	Yes	Yes	2 Years 40169100
Kleen-Cable Mat Rubber	Yes	7	1 2 3	40cr	m 200cm	~5 m	m ~ 5.8 k	kg/m²	-	EN14041 Antistatic	-	100% nitrile rubber (15% recycled)	N/A	-	-	-	-	100% nitrile rubber (15% recycled)	Kleeted	4.8 mm	5.8 kg/m²	Standard	30 mm	4.8 mm	-	Lay flat	Brush/ Pressure	-	-	-	Yes	Yes	2 Years 40169100
Kleen-Coil	Yes	77	1 2 3	115 c	cm 300 cm	~7.5 m	nm ~4.5 k	kg/m² EN	N13501-1/DFL-s1	EN14041 Antistatic	NESI	100% nitrile rubber	N/A	-	-	-	-	100% nitrile rubber	Flat	~3.6 mm	~4.5 kg/m²	Standard	20 mm	4.5 mm	Up to 60°c	Up to 60°c	Vacuum/ Steam Clean	-	-	-	Yes	Yes	5 Years 40169100
Kleen-Comfort Design	-	7	1 2 3	85cr	m 285 cm	~20 m	m ~5.77 k	kg/m² [	DOC-FF-1-70	-	NESI	High-twist nylon polyamide 6.6 (100% nitrile foam)	Chromojet printing	~7 mm (11 5 mm)	680 g/m² (~3 kg/m²)	-	-	100% nitrile rubber	Flat	1.8 mm	2.09 kg/m²	No	-	-	Up to 60°c	Lay flat	Vacuum/ Steam Clean	Yes	-	Pantone, HKS RAI	Yes	Yes	5 Years† 57032999
Kleen-Comfort Office	-	7	1 2 3	85 cr	m 285 cm	~18 m	m ~5.89 k	kg/m² [	DOC-FF-1-70	-	NESI	50% polyester   50% polypropylene (100% nitrile foam)	Solution dyed	~4 mm (11.5 mm)	750 g/m² (~3 kg/m²)	-	-	100% nitrile rubber (15% recycled)	Flat	1.8 mm	2.09 kg/m²	No	-	-	-	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	5 Years 56031490
Kleen-Comfort Safety	-	7	1 2 3	85 cr	m 285 cm	~15 m	m 7.18 k	kg/m² EN	N13501-1/EFL-s1	EN14041 Antistatic	NESIS	100% nitrile rubber (100% nitrile foam)	N/A	(~11.5mm)	(3 kg/m²)	-	-	100% nitrile rubber (15% recycled)	Flat	3.6 mm	4.18 kg/m²	No	-	-	Up to 60°c	Lay flat	Vacuum/ Pressure Wash	-	-	-	Yes	Yes	5 Years 40169100
Kleen-Comfort Soft	-	P. Committee	1 2 3	85 cr	m 285 cm	~21 m	m ~5.79 k	kg/m² EN	N13501-1/CFL-s1	-	NESIS	100% high-twist nylon polyamide 6.6 (100% nitrile foam)	Solution dyed	~10-11 mm (11.5 mm)	700 g/m² (~3 kg/m²)	-	-	100% nitrile rubber	Flat	1.8 mm	2.09 kg/m²	No	-	-	Up to 60°c	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	5 Years† 57032999
Kleen-Comfort Standard	-	F	1 2 3	85 ci	m 285 cm	~15 m	m 7.18 k	kg/m² EN	N13501-1/EFL-s1	EN14041 Antistatic	NESI	100% nitrile rubber (100% nitrile foam)	N/A	(~11.5 mm)		-	-	100% nitrile rubber 15% recycled	Flat	3.6 mm	4.18 kg/m²	No	-	-	Up to 60°c	Lay flat	Vacuum/ Pressure Wash	-	-	-	Yes	Yes	5 Years 40169100
Kleen-Cooler Mat	-	Tr.	1 2 3	60 ci	m 85 cm	~12 m	m 2.4 kg	g/m² EN	N13501-1/CFL-s1	-		100% high-twist nylon polyamide 6.6	Solution dyed	~10-11 mm	700 g/m²	800 g/m²	3-4 l/m²	100% nitrile rubber (15% recycled)	Kleeted	1.4 mm	1.7 kg/m²	Standard	20 mm	2.4 mm	-	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	2 Years 57032999
Kleen-Cushion	Yes	7	1 2 3	115 c	m 175 cm	~8 m	m 4.2 kg	g/m²	-	EN14041 Antistatic	-	100% nitrile rubber	N/A	-	-	-	-	100% nitrile rubber	Flat	3.6 mm	~4.2 kg/m²	Standard	20 mm	2.5 mm	-	Lay flat	Steam Clean/ Pressure	-	-	-	Yes	Yes	2 Years 40169100
Kleen-Foam	-	7	1 2 3	70 cr	m 135 cm	~11.5 r	nm 3 kg/	/m²	-	-	-	100% nitrile foam	N/A	(~11.5 mm)	(~3 kg/m²)	-	-	100% nitrile foam	Flat	-	-	No	-	-	-	Lay flat	Vacuum/ Steam Clean	-	-	-	Yes	Yes	2 Years 40169100
Kleen-Scrape	Yes	1	1 2 3	115 c	cm 300 cm	~5.5 m	nm 4.2 kg	g/m² EN	N13501-1/EFL-s1	EN14041 Antistatic	NESIS	100% nitrile rubber (15% recycled)	N/a	-	-	-		100% nitrile rubber (15% recycled)	Flat	3.6 mm	4.2 kg/m²	Standard	20 mm	3.6 mm	Up to 60°c	Up to 60°c	Brush	-	-	-	Yes	Yes	5 Years† 40169100
Kleen-Sticky Mat	-	F	1 2 3	115 c	m 90 cm	~ 2 m	m -	- Ant	nti-Microbial Testing:	: 2-n-octyl-4-isothiazolir	-3-one (OIT)	100% polyethylene layers	N/A	-	-	-	-	-	Flat	-	-	-	-	-	-	-	-	-	-	-	-	-	- 39199080
Kleen-Thru Plus <sup>a</sup>	Yes	7	1 2 3	86 cr	m 143 cm	~8 m	m 4.33 k	kg/m² EN	N13501-1/EFL-s1	-	-	100% nitrile rubber	N/A	-	-	-	-	100% nitrile rubber	Textured	~8 mm	4.33 kg/m²	Standard	30 mm	3 mm	Up to 60°c	Lay flat	Steam Clean	-	-	-	Yes	Yes	5 Years† 40169100
Kleen-Tile	Yes	Ty.	1 2 3	30.4 c Modu	cm/ 30.4 cm/ ular Modular	~10 m	m 4.2 kg	g/m² ENIS	EN13501-1/BFL-s1 IISO 11925-2/9239-1	-	See Apendix <sup>1</sup>	UV treated vinyl	N/A	~10 mm	-	-	-	N/A	-	-	-	No	-	-	-	-	Steam Clean/ Pressure	-	-	-	Yes	Yes	3 Years 39204390
Kleen-Wave	-	7	1 2 3		m/ 100 cm/ ular Modular	9 mr	n 2.2 kg			See Apendix <sup>2</sup>		100% recycled PET plastic	N/A	9 mm	-	-	-	N/a	-	-	-	No	-	-	-	-	Steam Clean/ Pressure	-	-	-	Yes	Yes	2 Years 39189000
Kleen-Wheel Forklift	-		1 2 3		m 700 cm		m 5.02 k		-	EN14041 Antistatic	-	Micro nylon & high-twist nylon polyamide 6	Solution dyed	~14 mm	1100 g/m²	1100 g/m²	5-6 l/m²	100% nitrile rubber (15% recycled)	Flat	2.8 mm	3.92 kg/m²	Optional	20 mm	2.8 mm	-	Lay flat	Vaccum/ Carpet Clean	-	-	-	Yes	Yes	2 Years 57032999
Montone	-	7				+			N13501-1/CFL-s1	-	NESIS	100% high-twist nylon polyamide 6.6	Solution dyed	~10-11 mm	700 g/m²	800 g/m²	3-4 l/m²	100% nitrile rubber (15% recycled)	Kleeted/Flat		1.7 kg/m²	Optional	20 mm	2.4 mm	Up to 60°c	Up to 60°c	Vacuum	-	-	-	Yes		5 Years† 57032999
PolyCotton	-	+=-	1 2 3			_			N13501-1/EFL-s1	-	-	50% cotton   50% polyester	Reactive dyed	~12 mm	970 g/m²	800 g/m²	4-5 l/m²	100% nitrile rubber	Kleeted/Flat		1.83 kg/m²		20 mm	2.6 mm	Up to 60°c		Vacuum	-	-	-	Yes		5 Years† 57039080
Super-Mat 2	-					+	_			EN14041 Antistatic	NESIS	100 % Econyl® regenerated nylon	Solution dyed	~9 mm	900 g/m²	950 g/m²	3-4 l/m²	100% nitrile rubber	Kleeted/Flat	1.8 mm	2.2 kg/m²	Optional		2.8 mm	Up to 60°c		Vacuum	-	-	-	Yes		5 Years† 57032999
Water-Horse	Yes				cm 240 cm	_			N13501-1/EFL-s1	-	NESIE	50% polyester   50% polypropylene (50% recycled content)	Solution dyed	~4 mm	750 g/m²	1000 g/m²	4-5l/m²	100% nitrile rubber (15% recycled)	Flat	1.8 mm	2.3 kg/m²	Standard		3.6 mm	-		Vacuum/ Steam Clean	-	-	-	Yes		5 Years 56031490
											-	(30 % recycled content)				-		(13% recycled)			-					,	Stearn Clean				-		1111

				Specification	1	Materials						Certific	ation							Details	
Product Name	Outdoor Use	Eco Properties	Max Custom Width	Max Custom Length	Insert Depth	Insert Construction	Grid Construction	Fire Rating	Fire Rating (Additional)	Light Fastness	Rubbing Fastness	Water Fastness	ISO9001: 2018	BS8300 DDA Compliant	BS4790: 1987	Slip Resistance	Global Green Tag Certified	BGR181	Cleaning	Origin	Guarantee
Kleen-Fit Guard DC001	-	F	4000 mm*	No Limit	12/17 mm	Heavy duty fibre bonded polypropylene	Aluminium <95% Recyled	BS4790: Low	-	6 (ISO105-B02)	5 (ISO105:E01)	4 (ISO105:X12)	Yes	Yes	Yes	-	-	-	Vacuum/ Steam Clean	Made In UK	10 Years
Kleen-Fit Guard DC003	-	F	4000 mm*	No Limit	12/17 mm	85% polypropylene   15% recycled polyester	Aluminium <95% Recyled	BS4790: Low	-	>6 (ISO105-B02)	5 (ISO105:X12)	5 (ISO105:B01)	Yes	Yes	Yes	-	-	-	Vacuum/ Steam Clean	Made In UK	10 Years
Kleen-Fit Guard DC004	-	F	4000 mm*	No Limit	12/17 mm	Natural brush coir	Aluminium <80% Recyled	BS4790: Low	-	-	-	-	Yes	Yes	-	-	-	-	Vacuum/ Steam Clean	Made In UK	10 Years
Kleen-Fit Guard DC005	Yes	F	4000 mm*	No Limit	12/17 mm	Natural and styrene butadiene rubber	Aluminium <95% Recyled	BS4790: Low	DIN4106 - B2	-	-	-	Yes	Yes	Yes	-	-	-	Vacuum/ Steam Clean	Made In UK	10 Years
Kleen-Fit Guard DC008	Yes	F	4000 mm*	No Limit	12/17 mm	Recycled flecked rubber	Aluminium <95% Recyled	BS4790: Low	DIN4106 - B2	-	-	-	Yes	Yes	Yes	-	-	R9	Vacuum/ Steam Clean	Made In UK	10 Years
Kleen-Fit Guard DC022	-	F	4000 mm*	No Limit	12/17 mm	Heavy ribbed polypropylene	Aluminium <95% Recyled	BS4790: Low	EN 95/28 (ECE 118)	6 (ISO105-B02)	5 (ISO105-E01)	4 (ISO105:X12)	Yes	Yes	Yes	-	-	-	Vacuum/ Steam Clean	Made In UK	10 Years
Kleen-Fit Guard Eco	-	F	4000 mm*	No Limit	12/17 mm	Natural goat hair	Aluminium <100% Recyled	BS4790: Low	ISO9239-1: CFL-s1	5-6 (BS1006:1990)	4 (BS1006:1990)	4 (BS1006:1990)	Yes	Yes	Yes	-	Level A	-	Vacuum/ Steam Clean	Made In UK	15 Years
Kleen-Fit System Brush	-	F	No Limit	No Limit	12/17/22mm	Looped polypropylene	Aluminium with stainless steel wire	CFL-s1	-	-	-	-	-	-	-	R12	-	-	Vacuum/ Steam Clean	Made In EU	3 Years
Kleen-Fit System Ribbed	Yes	1	No Limit	No Limit	12/17/22mm	Hard rubber	Aluminium with stainless steel wire	CFL-s1	-	-	-	-	-	-	-	R12	-	-	Vacuum/ Steam Clean	Made In EU	3 Years
Kleen-Fit System Scrub	Yes	Y	No Limit	No Limit	12/17/22mm	Rigid polypropylene tufts	Aluminium with stainless steel wire	CFL-s1	-	-	-	-	-	-	-	R12	-	-	Vacuum/ Steam Clean	Made In EU	3 Years

				:	Specification		Materials		Certification		Details				
e					oor   Tile   Tile   Incort Material   Bot		Flame Retardancy	Temp.	Slip	Cleaning	Guarantee	Customs Tariff			
	ı	Product Name			Weight	modern decina	BS4790	Resistance	Resistance	Oleaning	Gaarantee	Number			
	•	Concourse Tile	Yes	50 x 100cm	12/18mm	13kg	Polymer enhanced heavy-duty SBR rubber	Low	-20°C - +70°C	TM144 Satra Tested	Vacuum/ Steam Clean	1 Year	40169100		
	ı	Matrix Tile	-	50 x 100cm	18mm	9kg/13kg	Nylon   Polymer enhanced heavy-duty SBR rubber	Low	-20°C - +70°C	TM144 Satra Tested	Vacuum/ Steam Clean	1 Year	57032092		

Document accurate as at time of printing. Product specification is liable to change. For the most accurate information, please visit the Kleen-Tex Hub for live product datasheets.

# Appendix † 5 Year Manufacturers Guarantee or 2 years under industrial laundry conditions \* Widths up to 200cm available in Granite and Midnight Grey. Maximum width of 150cm available in Black Pearl, Black Steel and Black Cedar.

Custom Printed Mats

Fitted Entrance Systems

Anti-Fatigue Mats Workplace Safety Mats Wet Area Mats

 \*Kleen-Tile:
 Slip Resistance conforms to DIN 51067: A + B + C and DIN EN 13451/15288-1:26°

 \*Kleen-Wave:
 Temperature Resistance: -35% to +70% (-31% + 158%).

 Slip Resistance: DIN 51097: A+B+C | DIN EN 13451/15288-1:30%.

 Emissions: ISO 16000-9: TVOC Class A+

\*NAMSA (North American Science Associates) has indicated that Kleen-Thru Plus is rated 0/NZ (no growth, no zone) in the AATCCTM 30, Part 111 test, meaning this mat has an effective funglistatic treatment that helps control the bacterial and fungal growth that cause odour in the mat. The antimicrobial treatment is registered in the USA by the Environmental Protection Agency and is bound and non-migrating, which means it is present for the life of the mat and will not wash off or rub off even when subjected to prolonged industrial washing. This treatment only protects the Kleen-Thru Plus mat and not the people who are using it.

Airline Mat has been issued with CAA certificate: Ref. No. Al/8847/83

## Specifiers Appendix

Kleen-Fit Guard panel widths up to 400cm are available in anodised finish colours: Black, Medium and Dark Bronze frames. Widths of up to 260cm are available in Light, Medium and Dark Gold and up to 250cm in Gun Metal Grey and up to 160cm in Light Bronze.

Kleen-Fit System products:

are Fire Rated CFL-s1 in accordance with EN 13501-1.

are Slip Resistance class R12 according to DIN 51130:2014 - 02 - aluminium mats.

conform to 48/09/BB91104001 and 48/09/BB91133001 material test reports.

## The Kleen-Tex Hub

Individual product datasheets along with a PDF version of the table above (which can be enlarged for ease of viewing) are available on the **Kleen-Tex Hub**.

Either scan the QR code to the right or visit www.kleen-tex.co/hub/catalogue



Key

As a leading global manufacturer of floor matting systems, we understand our responsibility to continuously improve the sustainability of our products and operations.

# **Procuring Recycled Materials**

Whilst procuring recycled materials for our products is essential, we are also developing end of life options for our products across all Kleen-Tex home and commercial brands.

For example, our solid rubber mats can be recrumbed for use in new products to reduce the consumption and processing of new raw materials.

We are also continuously exploring how we can extend our dedicated range of floor matting systems that are manufactured from recycled materials, including 100% **ECONYL®** regenerated nylon made from post manufacture and post consumer waste.

Our EcoAbsorb product is manufactured from **Renycle<sup>TM</sup> 50** recycled yarn, which, compared to standard yarn, saves energy, reduces CO<sub>2</sub> emissions, reduces water consumption and reduces waste material during production.

Our EcoAbsorb floor matting system also dries 37% faster than a cotton mat, saving valuable energy, time and money during laundry cycles.

In some products we utilise fabric constructed from 100% recycled PET plastic bottles and nitrile rubber with 15% recycled content.





# Reducing Our Carbon Footprint

We are also undertaking a series of initiatives as part of our commitment to minimising our carbon footprint.

From a logistics perspective, we are proactively consolidating our deliveries with the aim of sending full truckloads to eliminate any empty shipping space. We have also implemented reduced travel frequency for staff, with increased use of conference call technology and working from home with virtual offices.

Wherever possible, we're reducing waste across global operations, recycling at every opportunity and sourcing from suppliers within the same region.



# Adopting efficient processes

ISO 14001:2015 is implemented throughout all aspects of our operations and we are continuously identifying how we can increase our operational efficiencies across all aspects of our business.

This includes a reduction in packaging and pallet use, the introduction of recyclable packaging and increasing our use of renewable energy throughout our supply chain.

We aim to recycle 100% of post manufactured waste by 2025 globally and are currently achieving 88% of our target.



# Quality, service and flexibility are our watchwords and we take enormous pride in our ability to deliver even the most complex bespoke order quickly, efficiently and on time.

Our entire production process, from tufting to bonding, takes place at our manufacturing location in Poland, which means that we have full control over production schedules and can offer fast and accurate delivery timescales to suit all requests.

We have direct links between all our customer sales teams and our production site, allowing for excellent communication and accurate delivery timescales.











81

## Samples, Embossing and Labelling

# **Product Samples**

Whilst every effort has been made to ensure the colours illustrated in this brochure are as accurate as possible, there may be some natural colour distortion during the printing process. We strongly recommend that before ordering you ask to see our colour samples which will allow you to choose from the original colours and see the structure of our pile.



# Labels and Embossing


Kleen-Tex offer a labelling and embossing service for all rubberbacked mats, enabling you to personalise your mats with your company details and messages.

Production of your individual labels or embossing plates takes up to three weeks from design approval.

Minimum order quantity for mats with labels is 250.



**Border Labels**For your website or logo on the front side of the mat.



White Back Labels
White stripe on the back of the mat.
You can mark them with a waterproof felt pen, to mark inventory
numbers or internal information etc.




Back Labels
For your company logo, washing instructions, mat descriptions etc. on the back of the mat.



Embossing
Embossing the back, for example for your company logo etc.

# Velcro

Primary use of velcro is to fix the mats in one place. The hook part should be stuck to the floor where the mat will be placed and the second loop part is integrated on to the mat backing. When you lay out the mat and join the two parts together, the mat will be fixed to the floor. This is a possible solution for mats being used in places where many people and shopping carts pass over the mat. Available in  $10 \times 10 \text{cm}$  squares.




# **Data Chips**

For the storage of specific information about a mat there is also the possibility to integrate data chips.

These will be provided by you and we will incorporate them into the mat during the manufacturing process. To show the position of the data chips externally, we can place an additional label on the mat backing above the chip position.

Data chips are extremely efficient and also especially long lasting.
Our sales team will gladly offer further advice.





82 83

## Výrobný závod a sklad v Poľsku





## Distribučné zastúpenie na Slovensku

DanMat s.r.o. Kollárova 88A - 036 01 Martin Slovensko

Mobil: +421 915 896 527 Mail: info@danmat.sk Web: www.danmat.sk



